

REQUEST FOR QUOTATION
PROCUREMENT OF ICT EQUIPMENT
RFQ N_571-KGZ_21 – Amendment 1

Date: June 14, 2021

Dear Sir / Madam,

You are kindly requested to submit your quotation for ICT Equipment in Kyrgyzstan as described in Annex B.

We also request that your Quotation is submitted using the format specifically detailed in Annex C.

Quotations submitted by email must be limited to a maximum of **10MB, virus-free** and no more than two email transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

Quotation shall be evaluated based on lowest priced Quotation meeting requirements as per the criteria set in Annex A, point q.

In the event of a discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity), the unit price shall prevail and the total price shall be corrected by IDLO. If the Bidder does not accept the final price based on IDLO's correction of errors, its Quotation will be rejected.

The Bidders shall not vary their prices for any reason after the deadline of the tender and while the Quotation is still valid. At the time of award of Contract, IDLO reserves the right to vary (increase or decrease) the quantity of goods services, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

IDLO is not bound to accept any Quotation, nor award a Contract, nor be responsible for any costs associated with a Bidder's preparation and submission of a Quotation, regardless of the outcome or the manner of conducting the selection process.

IDLO encourages every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to IDLO if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

By submitting a Quotation in response to this information, Bidders are confirming acceptance of IDLO's General Terms and Conditions in full and Payment Policy of payment within 30 days after delivery of service on presentation of complete and correct invoice.

This Request for Quotation (RFQ) is comprised of:

Instruction to Bidders	Annex A
Technical Specifications	Annex B
Supplier's Quotation	Annex C
IDLO General Terms and Conditions for the Procurement of Goods or Services and IDLO Supplier Code of Conduct	Annex D

For any questions/clarifications related to this RFQ please contact IDLO on tenders@idlo.int and mention **Clarifications RFQ N_571-KGZ_21** in the subject section of your email no later than 48 hours prior to the deadline for submission.

The Quote shall be addressed to IDLO on or before

Date: June 22, 2021

Time: 15:00 hours Rome local time.

Thank you and we look forward to receiving your quotation.

Sincerely yours,

International Development Law Organization | IDLO

Kyrgyzstan Country Office

Annex A
Instructions to Bidders

a. Description of requested Goods	See Annex B
b. Deadline for Quotation	The Quote shall be addressed to IDLO on or before Date: June 22, 2021 Time: 15:00 hours Rome local time.
c. General Terms and Conditions	Any bid submission will imply the unconditional acceptance of IDLO General Terms and Conditions for the Procurement of Goods and adherence to the Supplier Code of Conduct.
d. Payment Terms	IDLO will conduct the payment within 30 days after satisfactory receipt of all goods and upon submission of the invoice by the Supplier.
e. Conditions for Release of Payment	IDLO Acceptance of Goods Form based on full compliance with RFQ requirements
f. Validity of Quotation starting from the Deadline of the Tender	60 days In exceptional circumstances, IDLO may request the Bidder to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Bidder shall then confirm the extension in writing, without any modification whatsoever on the Quotation.
g. Quotations Submission	All quotations shall be submitted through the following e-mail address: tenders@idlo.int
h. Partial Quotations	<input type="checkbox"/> Not permitted <input checked="" type="checkbox"/> Permitted Bidders may submit a Quote for one or more Lots
i. Place of Delivery	Goods shall be delivered to: 171 Junusalieva Street Bishkek Kyrgyzstan
j. Delivery Terms	Incoterms Delivery Duty Paid (DDP) Goods will be delivered within 90 days after receipt of PO or contract from IDLO to Bishkek, Kyrgyzstan.
k. Customs clearance, if needed, shall be done by:	<input type="checkbox"/> IDLO <input checked="" type="checkbox"/> Supplier <input type="checkbox"/> N/A
l. Currency of Quotation	Kyrgyz Soms <i>Note: (Local Suppliers must comply with any applicable laws regarding doing business in other currencies)</i>

m. Value Added Tax on Price Quotation	<input checked="" type="checkbox"/> Must be inclusive of VAT and other applicable indirect taxes <input type="checkbox"/> Must be exclusive of VAT and other applicable indirect taxes
n. Preliminary Documents to be Submitted	<input checked="" type="checkbox"/> Annex C duly signed and stamped, and in accordance with the list of requirements in Annex B; <input checked="" type="checkbox"/> Product Catalogues or Brochures (Product Data Sheets) attesting compliance with Technical Specifications as mentioned under Annex B; <input checked="" type="checkbox"/> Provision of Serial Numbers at Time of Shipment to be included in Contract and to be counterchecked by IDLO at the time of Delivery: <input checked="" type="checkbox"/> Quality Certificates for the Goods (ISO, etc.); <input checked="" type="checkbox"/> Latest Business Registration Certificate; <input checked="" type="checkbox"/> Latest Internal Revenue Certificate / Tax Clearance; <input checked="" type="checkbox"/> Manufacturer’s Authorization of the Company as a Sales Agent (if Supplier is not the manufacturer); <input checked="" type="checkbox"/> Minimum two (2) Contracts/LPOs of similar value and nature in the past two (2) years as proof of experience with UN Agencies, INGOs, NGOs, or Foreign Embassies indicating contactable domain email references for verification <input checked="" type="checkbox"/> Letters of Reference from at least two (2) clients indicating delivery of similar Goods in the past two (2) years with contactable domain email references for verification <input checked="" type="checkbox"/> Relevant Company Profile
o. Special Packing Requirement	<input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes
p. After-sales services required, if applicable	<input checked="" type="checkbox"/> Warranty on Parts and Labour for minimum period of 1 year <input type="checkbox"/> Technical Support <input type="checkbox"/> Provision of Service Unit when pulled out for maintenance/ repair <input type="checkbox"/> Others
q. Evaluation Criteria	<p>Evaluation will be done according to the following order of priorities:</p> <ol style="list-style-type: none"> 1. Full submission of Preliminary Documents (as per Annex A, point n.) 2. Technical responsiveness 3. Comprehensiveness of after-sales services, as per Annex A, point p, if applicable. 4. Earliest Delivery Date 5. Lowest price
r. Liquidated Damages	<input type="checkbox"/> N/A <input checked="" type="checkbox"/> Yes - For late delivery of Goods, IDLO shall be entitled to claim liquidated damages from the Contractor in accordance with Article 23 of the General Terms and Conditions. Liquidated damages for inferior quality or non-conformance of specifications of Goods will be assessed on a case-by-case basis in accordance with the severity of the problem as determined solely by



	IDLO. The application of this liquidated damages provision shall not relieve the Contractor of its obligations or liabilities pursuant to this Contract.
--	---

ANNEX B TECHNICAL SPECIFICATIONS

General Requirements

1. Equipment and consumables must ensure a consistently high quality of operation and be reliable.
2. Used, reconditioned, recycled, or modified in any way equipment or consumables are not allowed.
3. Equipment from leading manufacturers should be provided.
4. All proposed equipment characteristics must meet or exceed the minimum technical characteristics indicated in this technical specification.
5. Full warranty (factory warranty and maintenance servicing guarantee) for the supplied equipment and consumables must be valid for at least 12 months.
 - i. During the warranty period, the restoration of equipment operability at the Customer's site shall be within one working week.
 - ii. During the warranty period, if it is impossible to restore the functionality of the failed equipment (in a warranty case), it must be replaced with the same model or a similar counterpart (as agreed with the Customer) within 14 working days.
6. The equipment must be supplied with a full set of drivers for installed devices on electronic media.
7. Delivery at the request of the supplier or buyer can be carried out ahead of schedule.
8. All hardware must be designed for operation in the following conditions (GOST 2132-80 / for enclosed spaces/):
 - power supply parameters (220 V + 10 / -15%, 50 Hz +/- 1 Hz);
 - ambient temperature from + 10 ° C to + 32 ° C;
 - relative humidity from 40% to 80% at a temperature of 23 ° C. Life time of the equipment must be at least 5 years.

Specifications for Goods

Lots	Item Name	Specification	Unit measure	Quantity
Lot 1	Uninterruptible Power Supply for Personal Computer	<ul style="list-style-type: none"> • UPS type: Line-interactive • Power capacity: 1200VA / 720W • Input voltage: 220V • Output voltage 220V +/-10% • Input frequency: 45-65Hz • Output frequency: 50/60 ± 0.5Hz • Power cable length: 1.5 meters • AVR operating range: 165-275V • Number and type of output connectors: 3 x Schuko • Mode switching time: 3 ms • Output waveform: Step Sine wave • Number and type of batteries: 12V / 7.5Ah x 2 • Battery charge time: 6-8 hours • Front panel: LED indicators • Interface for communication with a PC USB (Smart technology) • Auto turn on • Silent mode • Telephone line protection • Battery deep discharge protection • Short circuit and overload protection 	UNIT	15
Lot 2	3 TB hard drive	<ul style="list-style-type: none"> • Size: at least 3,000 GB • Digital storage buffer: at least 64 MB • 4 KB Sector Support: yes • Form factor: 3.5 " • Rotational speed (RPM): not less than 7200 RPM • Connection: SATA 6Gbit/s • Max. interface speed: 600 MB /s 	UNIT	10
Lot 3	Video conferencing subsystem image display screen	<ul style="list-style-type: none"> • Screen diagonal: 43 "(108cm) • Matrix type: LED IPS • Screen resolution: 1920 x 1080 Full HD • Viewing angle: 178° / 178° • Acoustic system: two speakers • Sound power: 20W • The number of HDMI ports: not less than 2 • Wall mountable • VESA size: 200x200 • Remote control 	UNIT	10

Lots	Item Name	Specification	Unit measure	Quantity
Lot 4	Network video recorder (NVR)	<ul style="list-style-type: none"> • Compression format: H.265/H.264/MPEG4 • IP video input: 4 channels • Incoming bandwidth: 40 Mbps • Outgoing bandwidth: 80 Mbps • Video / Audio outputs • HDMI: 4K (3840×2160)/60Hz, 4K (3840×2160)/30Hz, 1920×1080/60Hz, 1600×1200/60Hz, 1280×1024/60Hz, 1280×720/60Hz, 1024×768/60Hz • VGA: 1920x1080P/60Hz, 1280x1024/60Hz, 1280x720/60Hz, 1024x768/60Hz • Audio output: 1-ch, RCA (Line, 1 KΩ) • Recording resolution: 8MP/6MP/5MP/4MP/3MP/1080p/UXGA /720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF • Interface type: 1 SATA up to 6TB • External interfaces • Dual audio streaming: 1-ch, RCA (2.0 Vp-p, 1kΩ) • Network interface: 1 RJ-45 10 M/100 Mbps • USB interface: 2 × USB 2.0 	UNIT	2
Lot 5	4 TB hard drive	<ul style="list-style-type: none"> • Size: 4 000 GB • Digital storage buffer: 64 MB • 4 KB Sector Support: yes • Form factor: 3.5 " • Purpose: for server / for video surveillance systems • Rotational speed (RPM): 5,400 rpm • Recording / read rate: 150/150 MB / s • Connection: SATA 6Gbit / s • Max. interface speed: 600 MB / s • Operational shock resistance: 30 G • Storage shock resistance: 250 G • Operation noise level: 26 dB • Idle noise level: 25dB • Power consumption: 5.10 W 	UNIT	10

Lot 6	IP camera	<ul style="list-style-type: none"> • Matrix: 1/2.8" Progressive Scan CMOS • Resolution: 2MP • Sensitivity: 0.01 Lux @ (F1.2, AGC on), 0 Lux with IR • Electronic shutter: 1/3 sec ~ 1 / 100,000 sec • Lens: Motorized f = 2.8 - 12mm / F1.4 • Viewing angle: 100 ° ~ 35 ° • Lens mount: Φ14 • Day / Night Mode: Mechanical IR Cut Filter with Auto Switching • 3-axis adjustment: Panorama: 0 ° - 360 ° • Tilt: 0 ° - 75 ° • Rotation: 0° - 360° • Video compression: H.264/MJPEG/H.264+ • H.264 Profile: Main Profile • Video bitrate: 32 Kb/s – 8 Mb/s • Maximum resolution: 1920×1080 <p>Main stream</p> <ul style="list-style-type: none"> • Max. frame frequency: 50Hz: 25fps (1920 × 1080, 1280 × 960, 1280 × 720) 60Hz: 30fps (1920 × 1080, 1280 × 960, 1280 × 720) <p>Additional stream</p> <ul style="list-style-type: none"> • Max. frame frequency: 50Hz: 25fps (704 × 576, 640 × 360, 352 × 288, 320 × 240) 60Hz: 30fps (704 × 480, 640 × 360, 352 × 240, 320 × 240) • Image settings: Adjustment of brightness, contrast, saturation via client software or Web browser • Day / Night Switch: Mechanical IR cut filter with auto switch • Motion detection: Detection of: intrusion, defocus, motion. Dynamic analysis, tampering alert, network outage, IP address conflict, storage exceptions • Network storage: micro SD / SDHC / SDXC, up to 128GB • Protocols: TCP/IP, UDP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPoE, NTP, UPnP, SMTP, SNMP, IGMP, 802.1X, QoS, IPv6, Bonjour • Security: Password protection, watermark, dual stream • Compatibility: ONVIF, PSIA, CGI, ISAPI 	UNIT	10
-------	-----------	--	------	----

Lots	Item Name	Specification	Unit measure	Quantity
		<ul style="list-style-type: none"> • Alarm Triggered: Video Spoofing, Network Break, IP Address Conflict, HDD Full, HDD Errors • Network interface: 1 RJ45 10M / 100M Ethernet • Video input: 1 BNC • Reset button: Yes • Power supply: DC12B ± 25%/PoE (802.3af, class 3) • Power consumption: 5.5W max. • IR illumination: 30m • Protection class: IP67, IK10 • Working temperature: -30 ° C ~ + 60 ° C, humidity 95% or less (non-condensing) • Body material: Metal 		
Lot 7	PoE switch	<ul style="list-style-type: none"> • Ethernet ports (Uplink): 2x10 / 100Base-T RJ-45 • Ethernet ports (DownLink): 4x10 / 100Base-T PoE • Network standards: IEEE802.3, IEEE802.3u, IEEE802.3X • Max. bandwidth: 1.2 Gbps • Packet Forwarding Rate: 0.8688Mbps • Buffer memory: 768K • MAC table size: 2K • PoE protocols: 802.3af / at (PSE) • PoE pinout: 1/2 (+) 3/6 (-) • Power: DC 52V / 1.2A • Power consumption: 63W 	UNIT	5
Lot 8	PC power supply	<ul style="list-style-type: none"> • Form Factor: ATX • Power (nominal): not less than 500W • Current on the +12 V line is not less than 14 A • Current on the +5 V line is not less than 16 A • Mains input voltage range: 100-240V 50 / 60Hz • Availability of 4pin Molex connectors • Active cooling system • The package must include a mains power cable 	UNIT	30

Lots	Item Name	Specification	Unit measure	Quantity
Lot 9	Video capture card	<ul style="list-style-type: none"> • Interface: PCI Express x1 Gen 2 • Input signal: HDMI *, 3.5mm audio • Output: HDMI (pass-through), 3.5mm audio • Maximum capture resolution: 1080p / 60 • Bundled software • Software compatibility: UVC / UAC compatible software such as XSplit or OBS 	UNIT	5

<p>Lot 10</p>	<p>Personal Computer (Recording Station as a unit)</p>	<p>The personal computer must meet the following minimum requirements for specifications and completeness</p> <p>System unit:</p> <ul style="list-style-type: none"> • Case with power supply, with a rack form factor (4U size 19"). No mounting trays are required because the server shelf currently setup is a wall-mounted switching cabinet 12U. The computers (Lot 10) will be placed in the server shelf, power supply capacity at least 500 W, standard size power supply, at least 2 USB front panel connectors, headphones, microphone • Motherboard, with support for multi-core processors, • 4 DIMM slots for DDR4 RAM modules, maximum system memory up to 64 GB; • Compatible with DDR4 2666/2400/2133 MHz RAM modules; • The number of USB 2.0 interfaces is at least 6 and the number USB 3.0 interfaces is at least 2, installed with D-Sub, HDMI video outputs, the integrated network controller must be of the Ethernet 10/100/1000 Mbps RJ 45 port type, expansion slots must meet the requirements for the functioning of the video capture, video recording and audio recording system; • Processor x86 Intel Core i7 (or equivalent), four physical cores, at least 3.5 GHz, cache at least 8 MB; • The type of random access memory (RAM) must be at least DDR4 2400 SDRAM, the total size of RAM must be at least 16 GB, and a two-channel operating mode must be organized. • The storage drive must be in the form of at least two hard drives, each with a volume of at least 3000 GB, equipped with a SATA interface, with a spindle speed of at least 7200 rpm. Hard drives must be combined into a mirror array. • SATA DVD-RW Drive; <p>Monitor:</p> <ul style="list-style-type: none"> • Diagonal - 23.8 inches • Aspect ratio - 16: 9 • Resolution - not less than 1920 x 1080 • Pixel size - no more than 0.278 mm • Brightness - not less than 250 cd /m². 	<p>UNIT</p>	<p>2</p>
--------------------------	---	--	-------------	----------

		<ul style="list-style-type: none"> • Contrast - not less than 1,000M: 1 • Viewing angles - not less than 178 ° horizontally, 178 ° vertically • Response time - no more than 5 ms • The presence of LED backlight • The number of colors is at least 16.7 million. • The surface of the monitor must be non-reflective and antistatic • The presence of connectors - at least 2, D-Sub, HDMI • Black color. <p>Input Devices:</p> <ul style="list-style-type: none"> • Keyboard and mouse set, wired with USB connection interface, packed in one package • With support for the Russian language at least 102 keys • Optical mouse • Device color – black <p>Operating system:</p> <ul style="list-style-type: none"> • Type: license • Version: Windows 10 Pro Rus • Bit depth: 64x • License type: DSP OEI <p>Software:</p> <ul style="list-style-type: none"> • Name: Microsoft Office Home and Business • Version: 2016 • Type: license • Localization: Russian • License term: unlimited • Product type: full boxed license (FPP, BOX) <p>Headphones:</p> <ul style="list-style-type: none"> • Device type: headphones • Style: full-size, closed • Type: dynamic • Frequency response range: 14 - 20,000 Hz • Sensitivity: 112 dB • Impedance: 32 Ohm • Harmonic Distortion: 0.5% • Mount type: headband • Cable connection: one-way • Headphone jack: mini jack 3.5 mm • Headphone connector shape: straight • 6.3 mm adapter included • Gold plated connectors • Cable length: 3m 		
--	--	--	--	--

Lots	Item Name	Specification	Unit measure	Quantity
		Network filter: <ul style="list-style-type: none"> • Auto fuse, short circuit and overload protection, overheating protection, overvoltage protection • Load current: not less than 10 A • Operating voltage: 220-240V • Plastic type: shockproof non-flammable ABS • The number of output sockets: not less than 6 pcs. • Cord length: not less than 3 m 		
Lot 11	Motherboard	<ul style="list-style-type: none"> • LGA1151 compatible or equivalent • 4 DIMM slots for DDR4 RAM modules, maximum supported system memory up to 64GB • Compatible with DDR4 2666/2400/2133 MHz RAM modules • The number of USB 2.0 interfaces shall be at least 6 and USB 3.0 interfaces shall be at least 2, with installed video outputs D-Sub, HDMI, the integrated network controller must be of the Ethernet 10/100/1000 Mbit/s type with an RJ 45 port • At least 1 PCI Express x16 port • At least 2 PCI Express x1 slots • At least 6 SATA 6Gb/s connectors 	UNIT	5
Lot 12	Random access memory (RAM)	<ul style="list-style-type: none"> • DDR4, at least 8 Gigabytes 	UNIT	15
Lot 13	Monitor	<ul style="list-style-type: none"> • Diagonal - 23.8 inches • Aspect ratio - 16: 9 • Resolution - not less than 1920 x 1080 • Pixel size - no more than 0.278 mm • Brightness - not less than 250 cd /m². • Contrast - not less than 1,000M: 1 • Viewing angles - not less than 178 ° horizontally, 178 ° vertically • Response time - no more than 5 ms • The presence of LED backlight • The number of colors is at least 16.7 million. • The surface of the monitor must be non-reflective and antistatic • The presence of connectors - at least 2, D-Sub, HDMI • Black color. 	UNIT	5

Lots	Item Name	Specification	Unit measure	Quantity
Lot 14	HDMI cable 1.5m	<ul style="list-style-type: none"> • Standard not lower than HDMI 1.4 • HDMI Male to HDMI Male • Length not less than 1.5 m • Total cross section: not less than 28 AWG 	UNIT	20
Lot 15	HDMI cable 3m	<ul style="list-style-type: none"> • Standard not lower than HDMI 1.4 • HDMI Male to HDMI Male • Length not less than 3 m • Total cross section: not less than 24 AWG 	UNIT	20
Lot 16	HDMI cable 10m	<ul style="list-style-type: none"> • Standard not lower than HDMI 1.4 • HDMI Male to HDMI Male • Length not less than 10 m • Total cross section: not less than 24 AWG 	UNIT	20
Lot 17	HDMI cable 20m	<ul style="list-style-type: none"> • Standard not lower than HDMI 1.4 • HDMI Male to HDMI Male • Length not less than 20 m • Total cross section: not less than 22 AWG 	UNIT	20

**ANNEX C
SUPPLIER'S QUOTATION**

(This Form must be submitted using the Supplier's Official Letterhead/Stationery in the format specified below)

We, the undersigned, hereby accept the IDLO's General Terms and Conditions in full and Payment Policy of payment within 30 days after delivery of service on presentation of complete and correct invoice. We hereby offer to supply the items listed below in conformity with the specification and requirements of IDLO as per **RFQ N_571-KGZ_21**

Company Name	
Company Full Address	
Date	
Signature	
Stamp	
Contact Person	
Telephone number	
Email address	

Table 1: Offer to Supply Goods / Services Compliant with Technical Specifications and Requirements

Lots	Item	Unit measure	Quantity	Compliance with Technical Specifications in Annex B	Unit rate in KGS	Total amount in KGS
Lot 1	Uninterruptible Power Supply for Personal Computer	Unit	15	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 2	3 TB hard drive	Unit	10	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 3	Video conferencing subsystem image display screen	Unit	10	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 4	Network video recorder (NVR)	Unit	2	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 5	4 TB hard drive	Unit	10	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 6	IP camera	Unit	10	<input type="checkbox"/> Comply		

				<input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 7	PoE switch	Unit	5	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 8	PC power supply	Unit	30	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 9	Video capture card	Unit	5	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 10	Personal Computer (Recording Station as a unit)	Unit	2	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 11	Motherboard	Unit	5	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 12	Random access memory (RAM)	Unit	15	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 13	Monitor	Unit	5	<input type="checkbox"/> Comply		

				<input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 14	HDMI cable 1.5m	Unit	20	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 15	HDMI cable 3m	Unit	20	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 16	HDMI cable 10m	Unit	20	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 17	HDMI cable 20m	Unit	20	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Sub-total						
Taxes (if applicable)						
Total amount including taxes						

Table 2: Offer for After-Sale Services and Other Conditions

Other Information	Responses		
	<i>Yes, we will comply</i>	<i>No, we cannot comply</i>	<i>If you cannot comply, pls. indicate counter proposal</i>
Warranty: Minimum one (1) year warranty on both parts and labour from Lot 1 to Lot 13			
Delivery on basis of Incoterms Delivery Duty Paid (DDP) at 171 Junusalieva Street, Bishkek, Kyrgyzstan			
Goods will be delivered within 90 days after receipt of PO or contract from IDLO			

ANNEX D
IDLO GENERAL TERMS AND CONDITIONS FOR THE PROCUREMENT OF GOODS OR SERVICES
AND
IDLO SUPPLIER CODE OF CONDUCT

Any quote submission will imply the unconditional acceptance of IDLO General Terms and Conditions for Goods and Services and adherence to the Supplier Code of Conduct.

The documents are available on IDLO Procurement Website:

https://www.idlo.int/sites/default/files/documents/general_terms_and_conditions_for_goods_august_2020.pdf

https://www.idlo.int/sites/default/files/documents/general_terms_and_conditions_for_services_august_2020.pdf

<https://www.idlo.int/sites/default/files/documents/idlo-supplier-code-of-conduct.pdf>