INTERNATIONAL DEVELOPMENT LAW ORGANIZATION INVITATION TO BID

Reference: ITB No. N-UA-2024-000024	Date: April 5, 2024

Dear Sir/Madam,

The International Development Law Organization (IDLO) kindly invites your Company/Organization to submit a Bid for the **Procurement of ICT Equipment**. The full requirement is described in Annex C.

We also request that your Bid is submitted using the format specifically detailed in Annex D, E and F.

Bids submitted by email must be limited to a maximum of **10MB**, be virus-free and consist of no more than two email transmissions. They must be free from any corrupted contents, or the quotations shall be rejected.

Bids shall be evaluated based on the criteria set in Annex B.

IDLO is not bound to accept any Bid, nor award a Contract, nor be responsible for any costs associated with a Bidder's preparation and submission of a Bid, regardless of the outcome or the manner of conducting the selection process.

IDLO encourages every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to IDLO if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this Invitation to Bid (ITB).

By submitting a Proposal in response to this information, Bidders are confirming acceptance of IDLO's General Terms and Conditions in full and Payment Policy of payment within 30 days after delivery of service on presentation of complete and correct invoice.

This ITB consists of the following Annexes. Please be guided by these in preparing your Bid:

a.	Instructions to Bidders	Annex A
b.	Preliminary Screening Criteria	Annex B
С.	Terms of Reference (TOR)	Annex C
d.	Bid Submission Form	Annex D
e.	Bidder Information Form	Annex E
f.	Price Schedule	Annex F
g.	IDLO Special Conditions of Contract	Annex G
h.	IDLO General Terms and Conditions for the Procurement of Goods or	Annex H
	Services and IDLO Supplier Code of Conduct	



For any questions/clarifications related to this ITB before Deadline for Submissions of Bid, please contact IDLO on <u>tenders@idlo.int</u> and mention **Clarification ITB NO. N-UA-2024-000024** in the subject section of your email.

Deadline for Submission of Proposals: On or before **Date:** April 22, 2024 Time: 15:00 hours Rome, Italy local time.

Thank you and we look forward to receiving your Bid.

Sincerely yours, International Development Law Organization | IDLO Ukraine Country Office





	· · · · · · · · · · · · · · · · · · ·
1. General Considerations	In preparing the Bid, the Bidder is expected to examine the ITB in detail. Material deficiencies in providing the information requested in the ITB may result in rejection of the Bid.
	The Bidder will not be permitted to take advantage of any errors or omissions in the ITB. Should such errors or omissions be discovered, the Bidder must notify IDLO.
2. Cost of the Bid	The Bidder shall bear all costs associated with the preparation and submission of the Bid.
	IDLO will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the solicitation.
3. Currency of Bio	Bids shall be nominated exclusively in EUR .
	Note: the payment might be performed in the local currency (UAH) as per the exchange rate of the National Bank of Ukraine on the date of the invoice issuance.
	Note: Local Suppliers must comply with any applicable laws regarding doing business in other currencies
4. Language of the	e Bid This bid is executed in both English and Ukrainian. In case of a discrepancy, the English version shall be treated as authoritative.
	While the Bidder may choose to respond to the Bid in Ukrainian, IDLO's correspondences, documents and Contract relating to the Bid shall be written in the English language
5. Deadline for Submissions of	The Bid shall be addressed to IDLO on or beforeBidsDate: April 22, 2024
	Time: 15:00 hours Rome, Italy local time.
	Note: Proposals submitted by email must be limited to a maximum of 10MB , virus-free and no more than two email transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.
6. Delivery Term a Place	Goods should be delivered within 20 working days for Need 1 and within 10 working days for Need 2 / Need 3 / Need 4 after receipt of PO or contract from IDLO with instructions on location and timeline.
7. Customs clearan needed, shall be by:	
8. Special Packing Requirement or Temperature Co	



9. Documents comprising the Bid	 The Bid shall comprise the following components: 1. Bid Submission Form (see Annex D); 2. Bidder Information Form (see Annex E) 3. Price Schedule (Annex F) 	
10. Contents of solicitation documents	The Bidder is expected to examine all corresponding instructions, forms, terms and specifications contained in the Solicitation Documents. Failure to comply with these documents will be at the Bidder's risk and will affect the evaluation of the Bid.	
11. Clarification of solicitation documents	A prospective Bidder requiring any clarification on this ITB may contact IDLO by email on <u>tenders@idlo.int</u> no later than 72 hours prior to the deadline for submission of Bids.	
	Please mention Clarification ITB NO. N-UA-2024-000024 in the subject section of your email.	
	Written copies of the organization's response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective Bidders that have received the Solicitation Documents or posted on IDLO website.	
	Any delay in IDLO's response shall not be used as a reason for extending the deadline for submission, unless IDLO determines that such an extension is necessary and communicates a new deadline to all the Bidders.	
12. Amendments of solicitation documents	At any time prior to the deadline for submission of Bids IDLO may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the Solicitation Documents by amendment.	
	All prospective Bidders that have received the Solicitation Documents will be notified in writing of all amendments to the Solicitation Documents.	
	In order to afford prospective Bidders reasonable time for taking the amendments into account and preparing their offers, the procuring IDLO entity may, at its discretion, extend the deadline for the submission of Bids.	



13. Format, signing sealing, marking and submission of Bids	The Bid shall be signed by the Bidder or a person or persons duly authorized to bind the Bidder to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the Bid.
	The Bid must be submitted using the format specifically detailed in Annex D, E and F.
	A Bid shall contain no interlineations, erasures, or overwriting except, as necessary to correct errors made by the Bidder, in which case such corrections shall be initialled by the person or persons signing the Bid.
	Before the stipulated deadline, the Bidder shall send one email to the following e-mail address: <u>tenders@idlo.int</u> with the Subject: "Submission for ITB No. ITB No. N-UA-2024- 000024"
14. Joint Venture, Consortium, or Association	If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between IDLO and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture.
	After the Deadline for Submission of Bid, the lead entity identified to represent the JV, Consortium or Association shall not be altered without the prior written consent of IDLO.
	The lead entity and the member entities of the JV, Consortium or Association shall abide by the requirement outlined in the following section in respect of submitting only one bid.
	The description of the organization of the IV, Consortium or Association must clearly define the expected role of each of the entity in the joint venture in delivering the requirements of the RFP, both in the Bid and the JV, Consortium or Association Agreement. All entities that comprise the JV, Consortium or Association shall be subject to the eligibility and qualification assessment by IDLO.
	 A JV, Consortium or Association in presenting its track record and experience should clearly differentiate between: a) Those that were undertaken together by the JV, Consortium or Association; and



	 b) Those that were undertaken by the individual entities of the JV, Consortium or Association. Previous contracts completed by individual experts working privately but who are permanently or were temporarily associated with any of the member firms cannot be claimed as the experience of the JV, Consortium or Association or those of its members, but should only be claimed by the individual experts themselves in their presentation of their individual credentials. JV, Consortium or Associations are encouraged for high value, multi-sectoral requirements when the spectrum of expertise and resources required may not be available within one firm. The description of the organization of the JV, Consortium or Association must clearly define the expected role of each of the entity in the joint venture in delivering the requirements of the RFP, both in the Bid and the JV, Consortium or Association Agreement. All entities that comprise the JV, Consortium or Association assessment by IDLO.
15. Only One Bid	 The Bidder (including the individual members of any Joint Venture) shall submit only one Bid, either in its own name or as part of a Joint Venture. Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following: a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or c) they have the same legal representative for purposes of this ITB; or d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this ITB process; e) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; f) or some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this ITB process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.
16. Late Bids	Any Bid received by IDLO after the deadline for submission of Bids, pursuant to clause Deadline for the submission of Bid, will be rejected and sent back unopened or destroyed unopened if the return cannot be secured unless the Bid was sent by email but was not properly received due to issues in IDLO mailing system.



17. Validity Period of Bids	All Bids will be valid for 90 days from the deadline for submission of Bids. In exceptional circumstances IDLO may request the Bidders to extend the validity of the Bid beyond what has been initially indicated in this ITB. The Bidders shall be invited to confirm the extension in writing, without any modification whatsoever on the Bid. The Bidders may choose not to extend the validity period of the Bid upon request of IDLO.
18. Modification and withdrawal of Bids	The Bidder may modify/withdraw its Bid after the Bid's submission, provided that written notice of the withdrawal is received by IDLO prior to the deadline prescribed for submission of Bids.
	The Bidder's modification/withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of clause Deadline for Submission of Bids.
	No Bid may be modified nor withdrawn after to the deadline for submission of Bids.
	No Bid may be modified/withdrawn in the Interval between the deadline for submission of Bids and the expiration of the period of Bid validity specified by the Bidder in the Bid Submission Form.
19. Amendment of the Bid	At any time prior to the deadline of Bid submission, IDLO may for any reason, such as in response to a clarification requested by a Bidder, modify the ITB in the form of an amendment to the ITB. Amendments will be made available to all prospective bidders.
	If the amendment is substantial, IDLO may extend the Deadline for submission of bid to give the Bidders reasonable time to incorporate the amendment into their Bids.
20. Bidders' conference	⊠ N/A
21. Right to accept, reject, or render non- responsive any or all Bids	IDLO reserves the right to accept or reject any Bid, to render any or all of the Bids as non-responsive, and to annul the solicitation process and to reject all Bids at any time prior to award of contract, without incurring any liability, or obligation to inform the affected Bidder(s) of the grounds for IDLO's action. Furthermore, IDLO shall not be obliged to award the contract to the lowest priced offer.
22. Clarification of Bids	To assist in the examination, evaluation and comparison of Bids, IDLO may at its discretion ask the Bidder for clarification of its Bid. The request for clarification and the response shall be in writing and no change in price or substance of the Bid shall be sought, offered or permitted.
23. Evaluation of Eligibility and Qualification	In general terms, Bidders that meet the following criteria may be considered qualified: a) They are not included in IDLO Sanctions lists (EU, US, UN); b) They have a good financial standing and have access to ITB No. N-UA-2024-000024



	 adequate financial resources to perform the contract and all existing commercial commitments, c) They have the necessary similar experience, technical expertise, production capacity where applicable, quality certifications, quality assurance procedures and other resources applicable to the provision of the services required; d) They are able to comply fully with IDLO General Terms and Conditions of Contract and IDLO Supplier Code of Conduct; e) They do not have a consistent history of court/arbitral award decisions against the Bidder; and f) They have a record of timely and satisfactory performance with their clients. 	
24. Price variation	Bidders shall not vary their prices for any reason after the deadline of the tender and while the Bid is still valid.	
25. Preliminary Screening	IDLO will screen the Bids' Annex D and E to determine whether they are complete, whether the documents have been properly signed, and whether the Bid is generally in order.	
26. Correction of errors	In the event of a discrepancy between the unit price and the total price, the unit price shall prevail and the total price shall be corrected by IDLO. If the Bidder does not accept the final price based on IDLO's correction of errors, its Bid will be rejected.	
27. Due Diligence	 IDLO reserves the right to undertake a due diligence exercise aimed at determining to its satisfaction, the validity of the information provided by the Bidder. Such exercise shall be fully documented and may include, but need not be limited to, all or any combination of the following: a) Verification of accuracy, correctness and authenticity of information provided by the Bidder; b) Validation of extent of compliance to the ITB requirements and evaluation criteria based on what has so far been found by the evaluation team; c) Inquiry and reference checking with Government entities with jurisdiction on the Bidder, or with previous clients, or any other entity that may have done business with the Bidder; d) Inquiry and reference checking with previous clients on the performance on on-going or contracts completed, including physical inspections of previous works, as necessary; e) Physical inspection of the Bidder's offices, branches or other places where business transpires, with or without notice to the Bidder; 	



28. Responsiveness of Bid	IDLO will determine the substantial responsiveness of each Bid to the ITB. For purposes of this Clause, a substantially responsive Bid is the one which materially conforms to the requirement of the tender and any mandatory terms contained in the Solicitation Documents. IDLO's determination of a Bid's responsiveness is based on the	
	contents of the Bid itself without recourse to extrinsic evidence.	
29. Evaluation of Bid	All eligible Bids are assessed whether they are compliant, i.e., meet or exceed the specifications of the ITB.	
30. Right to Vary Requirements at the time of the Award	Yes - At the time of award of Contract, IDLO reserves the right to vary (increase or decrease) the quantity of goods , by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.	
31. Contract Award	 Contract Award shall be granted according to the: a) Full submission of relevant documentation as per Preliminary Screening Criteria (Annex B); b) Full submission of Bid Submission Form (Annex D) signed and stamped; c) Full submission of Bidder Information Form (Annex E); d) Full submission of Price Schedule (Annex F) signed and stamped; e) Lowest priced, most technically acceptable/compliant offer; 	
32. Contract Signature	Within five (5) calendar days from the date of receipt of the Contract, the successful Bidder shall sign and date the Contract and return it to IDLO. Failure to do so may constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security, if any, and on which event, IDLO may award the Contract to the Second Ranked Bidder or call for new Bids.	
33. Debriefing	In the event that a Bidder is unsuccessful, the Bidder may request a debriefing from IDLO. The purpose of the debriefing is to discuss the strengths and weaknesses of the Bidder's submission, in order to assist the Bidder in improving its future bids for IDLO procurement opportunities. The content of other bids and how they compare to the Bidder's submission will not be discussed.	
34. Payment Terms	IDLO will make payment within 30 days after satisfactory receipt of all goods and upon submission of the invoice by the Supplier.	
35. General Terms and Conditions and Supplier Code of Conduct	Any Contract or Purchase Order that will be signed as a result of this ITB shall be subject to the IDLO's General Terms and Conditions and Supplier Code of Conduct attached as Annex H.	
	The mere act of submission of a Bid implies that the Bidder accepts both Annexes in full.	



36. Liquidated Damages	∑ Yes - For late delivery of Goods, IDLO shall be entitled to claim liquidated damages from the Contractor in accordance with Article 23 of the General Terms and Conditions. Liquidated damages for inferior quality or non-conformance of specifications of Goods will be assessed on a case-by-case basis in accordance with the severity of the problem as determined solely by IDLO. The application of this liquidated damages provision shall not relieve the Contractor of its obligations or liabilities pursuant to this Contract.
37. Partial Bid	⊠ Permitted



ANNEX B PRELIMINARY SCREENING CRITERIA

A. MINIMUM ELIGIBILITY CRITERIA

Subject	Criteria	Document Submission Requirement
ELIGIBILITY		
Legal Status Tax Revenue	Vendor is a legally registered entity. Vendor is registered with pertinent country's revenue authority.	Valid Certificate of Incorporation/Registration Valid Internal Revenue Certificate / Tax Clearance
Eligibility	Vendor is not suspended, nor debarred, nor otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization in accordance with ITB Annex A Clause 21.	Internal Sanctions Chek will be conducted +
		Self-Attestation Letter
Litigation History	No consistent history of court/arbitral award decisions against the Bidder for the last 3 years.	Self-Attestation Letter
Bankruptcy	Has not declared bankruptcy, is not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against the vendor that could impair its operations in the foreseeable future.	Self-Attestation Letter
 Certificates and Licenses Duly authorized to act as Agent on behalf of Manufacturer, or Power of Attorney, if bidder is a manufacturer (if applicable) Patent Registration Certificates, if any technologies submitted in the Bid is patented the Bidder (if applicable) Export/Import Licenses, if applicable Product Catalogues / Brochures / Web 	 Duly authorized to act as Agent on behalf of the Manufacturer, or Power of Attorney, if bidder is not a manufacturer (if applicable) Patent Registration Certificates, if any of 	 Manufacturer's Authorization of th Company as a Sale Agent
	the Bidder (if applicable)	 Statement Letter whether any import of export licenses ar required in respect of goods to be purchase including any restriction on the country of origin use/dual use nature of goods
		 Product Catalogues of Brochures (Product Dat Sheets) attestin compliance wit Technical Specification as mentioned unde Annex C; OR, provisio of link to Manufacturer website showing th Product Data Sheet



B. QUALIFICATION CRITERIA

QUALIFICATION		
Previous Experience	Minimum 2 years of relevant experience.	Copies of two (2) contracts/ Word Orders/ Reference Letters from Inter- Governmental/National/International Organizations or Foreign Diplomatic Missions in Ukraine with contactable domain email addresses for verification
Financial Standing	A minimum average annual turnover of EUR 5,000.00 for the last 3 years. (For JV/Consortium/Association, all Parties cumulatively should meet requirement). Bidder must demonstrate the current soundness of its financial standing and indicate its prospective long-term profitability by submitting an audited financial statement (balance sheets, including all related notes, and income statements) for the last 3 years (For JV/Consortium/Association, all Parties cumulatively should meet requirement).	Audited Financial Statements or Bank Statements for the last 3 years



ANNEX C TERMS OF REFERENCE / TECHNICAL SPECIFICATIONS

A. About IDLO

The International Development Law Organization (IDLO) is an intergovernmental organization exclusively devoted to promoting the rule of law. Established in 1983, IDLO works to enable governments and empower people to reform laws and strengthen institutions to promote peace, justice, sustainable development and economic opportunity. Its programs, research and policy advocacy cover the spectrum of rule of law from peace and institution building to social development and economic recovery in countries emerging from conflict and striving towards democracy.

The Assembly of Parties is IDLO's highest decision-making body. It is composed of Representatives of all Member Parties, which have joined the Establishment Agreement of IDLO. IDLO currently has 37 Member Parties.

IDLO has its Headquarters in Rome, a Branch Office in The Hague, Liaison Offices for the United

Nations in New York and Geneva, and Country Offices in Afghanistan, Armenia, the Bahamas, Burkina Faso, Honduras, Indonesia, Kenya, Kyrgyzstan, Jordan, Liberia, Mali, Mexico, Moldova, Mongolia, Myanmar, Niger, the Philippines, Somalia, Tunisia, Uganda and Ukraine.

The work of IDLO is sustained by a dynamic, diverse, multinational and multicultural workforce, comprised of over 400 employees plus additional personnel in the non-employee category such as consultants and interns. About one fourth of the IDLO workforce is based in its Headquarters in Rome, while the rest are spread across the globe in our Branch and Country offices.

B. Background

The Office of the Prosecutor General implements a set of measures and tools aimed at improving international cooperation during full-scale invasion. Such cooperation is tightly associated with various types of communications, which requires usage of best technical and security solutions, in particular through procurement and installation of additional equipment, as well as expanding operational capabilities. Currently, four main needs have been identified which must be addressed in the given context.

C. Condition of Contract and Expected Output

IDLO aims to provide technical support efficiently, effectively, with accountability and transparency, and as such, the IDLO office in Ukraine issues this ITB for the purpose of solicitating quotations from Service Providers and to establish a Contract for Goods for Procurement of the ICT Equipment as listed in the Annex C.

This ITB is for supply of ICT equipment meeting the below **Minimum Specifications**. Bidders must meet or exceed these specifications. The procurement of the equipment includes delivery and provision of all accessories of the equipment as requested.



ITB No. N-UA-2024-000024

D. Qualifications of the Successful Contractor

- 1. Be officially registered with the relevant authorities in Ukraine as a legal entity.
- 2. The Contractor is expected to have a minimum of 2 years of professional and relevant experience in selling ICT Equipment to inter-governmental, national, international organizations or foreign diplomatic missions.
- 3. The Contractor shall be able to provide the required IT equipment (as defined in the Table below).
- 4. The Contractor shall only deliver the new equipment, not exhibition samples, not refurbished.

E. Scope of Technical Specifications

NEED 1: VIDEO CONFERENCING EQUIPMENT

Conducting meetings via video conferencing requires the use of appropriate equipment. It is required to equip two specially designated for negotiations rooms with video conferencing equipment sets corresponding to the size of the room and the expected number of participants present in the room.

TECHNICAL SPECIFICATION: VIDEO CONFERENCING EQUIPMENT (SET 1)

ltem	Key parameters (multifunctional devices)	
Type of equipment	All-in-one device with additional controller device	
Manufacturer	Cisco or another manufacturer headquartered in the USA or EU (country of brand registration)	
	two or more cameras (with wide and ultrawide modes), with a CMOS sensor of at least 1/2.3", sensors of at least 12MP/30fps	
	Zoom: not less than 5x optical, with the possibility of additional digital zoom (not less than 8x)	
	aperture: double, f/1.7 – f/2.4	
Video camera	horizontal field of view: at least 85° (wide) and at least 120° (ultra-wide)	
	vertical field of view: at least 60° (wide) and at least 90° (ultra-wide)	
	focal length: from 0.8 m to infinity	
	auto focus, brightness and white balance settings	
	AI settings: automatic group framing, automatic speaker tracking	
	activity light indicator available	
	type: IPS LCD, multi-touch	
	diagonal: at least 55", aspect ratio 16:9	
	resolution: at least 4K UHD (3,840x2,160)	
Display	contrast: at least 1:1,000	
	viewing angle: at least 85° in all directions	
	response time: no more than 8ms	
	active pen (stylus) included in the kit	



	portable floor stand with wheels for installing the screen at a height (1 included in the kit
	multifunctional cable (multi-head 4K, USB-C, HDMI, miniDP) with at least 9–meter length included in the kit
	built-in microphone array optimized for indoor use at a min. 4–meter distance with speaker tracking function built-in multi-channel speakers with a min. 75 Hz–20 Khz frequency range
Microphones and speakers	and an output (SPL) of at least 90 dB one additional external omnidirectional desktop microphone with a 4-pin mini-jack connector, 9V/52V power supply, and a 9-meter cable included in the kit
Video Interfaces	input: at least one HDMI 2.0 type A and one USB type-C DisplayPort output: at least one HDMI 2.0 type A
Audio interfaces	input: at least 2x analog audio inputs for connecting additional microphones (4-pin mini jack with phantom power), 1x audio input each of HDMI, USB-C, USB-A, and Bluetooth output: at least 1x analog line out (stereo 3.5mm minijack), 1x audio out each of USB-C, USB-A, and Bluetooth
Network interfaces	at least two electrical (RJ-45) 100/1000 Mbps Ethernet interfaces, one with PoE function, as well as Wi-Fi 802.11a/b/g/n/ac/ax 2.4 GHz and 5 GHz
Protocols	supported H.323, SIP, Webex, WebRTC Embedded encryption: H.323 and SIP point-to-point, H.235v3, AES 128/256, automatic key generation and exchange
Platform compatibility	 compatible with Microsoft Teams Rooms (native), Cisco Webex (native), Zoom, Google Meet optional further integration with Cisco Unified Communications Manager (Release 12.5 SU8) without installation of any additional hardware components
Multimedia control device	multiple touch screen LCD display with a min. 10" diagonal and min. resolution of 1,920x1,200 output: PoE 802.3af table mounted stand included in the kit
	Supply package shall also include: integrated power supply unit, power supply cable, at least 5 meters long, Ethernet network cable, at least 8 meters long, other cables, adapters, mounts, and mounting elements required for the operation of the equipment with the specified configuration settings, etc.; all documentation and software (drivers, installation packages, etc.)
Supply package	all documentation and software (drivers, installation packages, etc.) provided by the manufacturer for this equipment; all licenses required to ensure the full functioning of the video conferencing equipment of the above-mentioned configuration as a stand-alone independent system with the ability to organize video conferences and participate in them on the Microsoft Teams platform with Microsoft Teams Rooms Pro settings for a period of at least 12 months
Service support	At least 12 months for all manufacturer's equipment
Warranty support	Onsite warranty through Ukrainian service center, at least a 12-month equipment manufacturer's warranty but not less than standard warranty offer



TECHNICAL SPECIFICATION: VIDEO CONFERENCING EQUIPMENT (SET 2)

Type of equipment PTZ Camera with codec unit and additional controller device Manufacturer Cisco or another manufacturer headquartered in the USA or EU (country of brand registration) resolution: at least 1,080p/60fps and 2,160p(4K)/30fps Zoom: not less than 20x optical and 12x digital zoom (240x total) aperture: f/2.0 – f/3.8 horizontal field of view: at least 70° Pan and tilt: at least +/- 170° pan range, at least -20°/+90° tilt range focal length: from 1 m to infinity focus, brightness and white balance settings: auto or manual Al settings: automatic group framing, automatic speaker tracking, face and upper body recognition activity light indicator available manual control: Visca over IP Video Interface: HDMI 2.0 Network interface: electric (RJ-45) 100/1000 Mbps Ethernet Power: 220V 50Hz, PoE+ IEEE802.3at, 12V/3A a set of mounts and mounting elements for wall mounting included in the kit	Item	Key parameters (multifunctional devices)	
of brand registration) resolution: at least 1,080p/60fps and 2,160p(4K)/30fps Zoom: not less than 20x optical and 12x digital zoom (240x total) aperture: f/2.0 - f/3.8 horizontal field of view: at least 70° Pan and tilt: at least +/- 170° pan range, at least -20°/+90° tilt range focal length: from 1 m to infinity focus, brightness and white balance settings: auto or manual Al settings: automatic group framing, automatic speaker tracking, face and upper body recognition activity light indicator available manual control: Visca over IP Video Interface: HDMI 2.0 Network interface: electric (RJ-45) 100/1000 Mbps Ethernet Power: 220V 50Hz, POE+ IEEE802.3at, 12V/3A a set of mounts and mounting elements for wall mounting included in the	Type of equipment	PTZ Camera with codec unit and additional cont	roller device
resolution: at least 1,080p/60fps and 2,160p(4K)/30fpsZoom: not less than 20x optical and 12x digital zoom (240x total)aperture: f/2.0 – f/3.8horizontal field of view: at least 70°Pan and tilt: at least +/- 170° pan range, at least -20°/+90° tilt rangefocal length: from 1 m to infinityfocus, brightness and white balance settings: auto or manualAl settings: automatic group framing, automatic speaker tracking, face andupper body recognitionactivity light indicator availablemanual control: Visca over IPVideo Interface: HDMI 2.0Network interface: electric (RJ-45) 100/1000 Mbps EthernetPower: 220V 50Hz, POE+ IEEE802.3at, 12V/3Aa set of mounts and mounting elements for wall mounting included in the	Manufacturer	Cisco or another manufacturer headquartered i	n the USA or EU (country
Zoom: not less than 20x optical and 12x digital zoom (240x total) aperture: f/2.0 - f/3.8 horizontal field of view: at least 70° Pan and tilt: at least +/- 170° pan range, at least -20°/+90° tilt range focal length: from 1 m to infinity focus, brightness and white balance settings: auto or manual AI settings: automatic group framing, automatic speaker tracking, face and upper body recognition activity light indicator available manual control: Visca over IP 		of brand registration)	
aperture: f/2.0 - f/3.8horizontal field of view: at least 70°Pan and tilt: at least +/- 170° pan range, at least -20°/+90° tilt rangefocal length: from 1 m to infinityfocus, brightness and white balance settings: auto or manualAl settings: automatic group framing, automatic speaker tracking, face and upper body recognitionactivity light indicator availablemanual control: Visca over IPVideo Interface: HDMI 2.0Network interface: electric (RJ-45) 100/1000 Mbps EthernetPower: 220V 50Hz, PoE+ IEEE802.3at, 12V/3Aa set of mounts and mounting elements for wall mounting included in the		resolution: at least 1,080p/60fps and 2,160p(4K))/30fps
aperture: f/2.0 - f/3.8horizontal field of view: at least 70°Pan and tilt: at least +/- 170° pan range, at least -20°/+90° tilt rangefocal length: from 1 m to infinityfocus, brightness and white balance settings: auto or manualAl settings: automatic group framing, automatic speaker tracking, face and upper body recognitionactivity light indicator availablemanual control: Visca over IPVideo Interface: HDMI 2.0Network interface: electric (RJ-45) 100/1000 Mbps EthernetPower: 220V 50Hz, PoE+ IEEE802.3at, 12V/3Aa set of mounts and mounting elements for wall mounting included in the		Zoom: not less than 20x optical and 12x digital zo	oom (240x total)
horizontal field of view: at least 70°Pan and tilt: at least +/- 170° pan range, at least -20°/+90° tilt rangefocal length: from 1 m to infinityfocus, brightness and white balance settings: auto or manualAl settings: automatic group framing, automatic speaker tracking, face and upper body recognitionactivity light indicator availablemanual control: Visca over IPVideo Interface: HDMI 2.0Network interface: electric (RJ-45) 100/1000 Mbps EthernetPower: 220V 50Hz, PoE+ IEEE802.3at, 12V/3Aa set of mounts and mounting elements for wall mounting included in the			· · ·
focal length: from 1 m to infinityfocus, brightness and white balance settings: auto or manualAl settings: automatic group framing, automatic speaker tracking, face and upper body recognitionactivity light indicator availablemanual control: Visca over IPVideo Interface: HDMI 2.0Network interface: electric (RJ-45) 100/1000 Mbps EthernetPower: 220V 50Hz, PoE+ IEEE802.3at, 12V/3Aa set of mounts and mounting elements for wall mounting included in the		•	
focal length: from 1 m to infinityfocus, brightness and white balance settings: auto or manualAl settings: automatic group framing, automatic speaker tracking, face and upper body recognitionactivity light indicator availablemanual control: Visca over IPVideo Interface: HDMI 2.0Network interface: electric (RJ-45) 100/1000 Mbps EthernetPower: 220V 50Hz, PoE+ IEEE802.3at, 12V/3Aa set of mounts and mounting elements for wall mounting included in the		Pan and tilt: at least +/- 170° pan range, at least	-20°/+90° tilt range
Video camerafocus, brightness and white balance settings: auto or manual AI settings: automatic group framing, automatic speaker tracking, face and upper body recognition activity light indicator available manual control: Visca over IP Video Interface: HDMI 2.0 Network interface: electric (RJ-45) 100/1000 Mbps Ethernet Power: 220V 50Hz, PoE+ IEEE802.3at, 12V/3A a set of mounts and mounting elements for wall mounting included in the			, 0
Video cameraAI settings: automatic group framing, automatic speaker tracking, face and upper body recognition activity light indicator available manual control: Visca over IP Video Interface: HDMI 2.0 Network interface: electric (RJ-45) 100/1000 Mbps Ethernet Power: 220V 50Hz, PoE+ IEEE802.3at, 12V/3A a set of mounts and mounting elements for wall mounting included in the			to or manual
upper body recognition activity light indicator available manual control: Visca over IP Video Interface: HDMI 2.0 Network interface: electric (RJ-45) 100/1000 Mbps Ethernet Power: 220V 50Hz, PoE+ IEEE802.3at, 12V/3A a set of mounts and mounting elements for wall mounting included in the			
activity light indicator available manual control: Visca over IP Video Interface: HDMI 2.0 Network interface: electric (RJ-45) 100/1000 Mbps Ethernet Power: 220V 50Hz, PoE+ IEEE802.3at, 12V/3A a set of mounts and mounting elements for wall mounting included in the	Video camera		
manual control: Visca over IP Video Interface: HDMI 2.0 Network interface: electric (RJ-45) 100/1000 Mbps Ethernet Power: 220V 50Hz, PoE+ IEEE802.3at, 12V/3A a set of mounts and mounting elements for wall mounting included in the			
Video Interface: HDMI 2.0 Network interface: electric (RJ-45) 100/1000 Mbps Ethernet Power: 220V 50Hz, PoE+ IEEE802.3at, 12V/3A a set of mounts and mounting elements for wall mounting included in the			
Network interface: electric (RJ-45) 100/1000 Mbps Ethernet Power: 220V 50Hz, PoE+ IEEE802.3at, 12V/3A a set of mounts and mounting elements for wall mounting included in the			
Power: 220V 50Hz, PoE+ IEEE802.3at, 12V/3A a set of mounts and mounting elements for wall mounting included in the			uns Ethernet
a set of mounts and mounting elements for wall mounting included in the			ps Lilemet
			mounting included in the
KIL		_	mounting included in the
Input Video Interfaces:			
at least 2x HDMI with support for 1,080p/60fps			
at least 3x HDMI with support for 2,160p/30fps			
1x 3G-SDI/HD-SDI with support up to 1,080p/60fps			fnc
			ihz
EDID and CEC 2.0 supported			
Output Video Interfaces: at least 2x HDMI with support for 2,160p/60fps			
at least 1x HDMI with support for 2,160p/601ps			
CEC 2.0 supported			
Input Audio Interfaces:		••	
at least 8x Euroblock microphone inputs (or other type that meets the		•	ther type that meets the
specified requirements) with 48V phantom power supply, each with a			
separate echo canceller and noise reduction			wei supply, each with a
at least 3x HDMI for connecting external sources (PC/DVD)			(פר/העה)
Multimedia codec Output Audio Interfaces:	Multimedia codec		
at least 6x balanced Euroblock line outputs			
at least 3x HDMI, one of which supports ARC (Audio Return Channel)			idio Return Channel)
line output for connecting a subwoofer			
Network Interfaces:			
1 GBE Ethernet (RJ-45) for LAN connection			
at least 2x 1 GBE Ethernet (RJ-45) for direct video camera connection			video camera connection
(camera control)			
at least 2x 1 GBE Ethernet (RJ-45) with PoE support, one of which is to			pport, one of which is to
connect a multimedia control device			
Wi-Fi 802.11a/b/g/n/ac/ax 2.4 GHz and 5 GHz and at least 2x2 MIMO			and at least 2x2 MIMO
technology. If the manufacturer provides for the connection of a Wi-Fi			
antenna, such antenna shall be included in the supply package			
Additional Interfaces:			- FF / F0*
ITB No. N-UA-2024-000024 16	L		16



at least 2x USB type A
1x USB type B
reset button
Power: 220V 50Hz, 12 VDC
a set of mounts and mounting elements for wall mounting included in the
kit
multiple touch screen LCD display with a min. 10" diagonal and min.
resolution of 1,920x1,200
output: PoE 802.3af
table mounted stand included in the kit
three additional external omnidirectional desktop microphones with a
Euroblock connector (or other type that is available for the codec and
meets the specified requirements), 9V/52V power supply and additional
9-meter long extension cables with the appropriate connector included in
the kit
for enabling the speaker tracking function, the connected microphones
shall interact with the system
supported H.323, SIP, Webex
supported video standards: H.264, H.265
supported audio standards: G.711, G.722, G.722.1, G.729AB, 64 kbps and
128 kbps MPEG4 AAC-LD mono and stereo, OPUS,
Embedded encryption: H.323 and SIP point-to-point, H.235v3, AES,
automatic key generation and exchange
supported DiffServ (Quality of Service), adaptive bandwidth control (flow
control), dynamic playout and lip-sync buffering of audio and video
streams, DTMF transmission over SIP as per RFC 4733, automatic
gatekeeper detection
compatible with Microsoft Teams Rooms (native), Cisco Webex (native),
Zoom, Google Meet
optional further integration with Cisco Unified Communications Manager
(Release 12.5 SU8) without installation of any additional hardware
components
Supply package shall also include:
power supply unit, 2x 10A power cables each at least 2 meters long,
multifunctional cable (multi-head 4K, USB-C, HDMI, miniDP) with at least
9–meter length,
4x Ethernet cables with RJ-45 connectors in lengths of 1.5m, 3m, 5m, and
8m,
4x HDMI cables: 3x 3 meters long and 1x 1.5 meters long,
other cables, adapters, mounts, and mounting elements required for the
operation of the equipment with the specified configuration settings,
etc.;
all documentation and software (drivers, installation packages, etc.)
provided by the manufacturer for this equipment;
all licenses required to ensure the full functioning of the video
conferencing equipment of the above-mentioned configuration as a
stand-alone independent system with the ability to organize video
conferences and participate in them on the Microsoft Teams platform
conferences and participate in them on the Microsoft Teams platform with Microsoft Teams Rooms Pro settings for a period of at least 12 months



Service support	At least 12 months for all manufacturer's equipment
Warranty support	Onsite warranty through Ukrainian service center, at least a 12–month equipment manufacturer's warranty but not less than standard warranty offer

NEED 2: INFORMATION TECHNOLOGY EQUIPMENT

In order to ensure operational activity of the office, it shall be equipped with the appropriate information technology equipment to be installed and connected in the premises.

TECHNICAL SPECIFICATION: DATA STORAGE SYSTEM (1 Set)

Item	Key parameters (DSS)
Type of equipment	data storage system (NAS)
Manufacturer	Synology, Dell, HPE or equivalent
Installed processor	64-bit architecture, at least 2 cores with a frequency of
	2.5 Hz each
Installed RAM	DDR4-2666 or faster, at least 20 GB
	3.5" SATA HDD
Supported hard disks	2.5" SATA SSD
	M.2 NVMe SSD
Number of supported hard drives	at least 4
Ability to expand the number of drives	yes
Hot swappable drives	yes
RAID support	yes, 0/1/5/6/10 types
Number of installed hard drives	at least 2 based on the list of hard drives recommended
	by the manufacturer (a link to the list shall be provided)
	size: at least 8 TB each,
Parameters of installed hard drives	cache memory of at least 256 GB,
	SATA III 6Gbps interface or faster
Network interfaces	at least 2x Gigabit Ethernet (RJ-45), with link aggregation
	function
Additional interfaces	at least 2x USB 3.2 Gen 1
	at least 1x eSATA
file systems	at least ext4 and Btrfs, and additionally NTFS, FAT, exFAT
	for external drives
file protocols	SMB, NFS, FTP, Rsync, WebDAV
Protocols	HTTP(S), SNMP, LDAP, CalDAV, DLNA
Automatic synchronization and storage of files	
from cloud services	yes, at least with Microsoft 365
Automatic power on after a power failure	yes
Web-management interface	yes
User access control	yes
Power	220V 50Hz
	Supply package shall also include:
	power supply unit or adapter with a cable,
Supply package	2x GB Ethernet cables with RJ-45 connectors,
outer the second of	other cables, adapters, mounts, and mounting elements
	required for the operation of the equipment with the
	specified configuration settings, etc.;

ITB No. N-UA-2024-000024



	all documentation and software (drivers, installation packages, etc.) provided by the manufacturer for this equipment; all licenses required to ensure the full functioning of the equipment of the above-mentioned configuration as a stand-alone independent system
Warranty support	Onsite warranty through Ukrainian service center, at least a 12–month equipment manufacturer's warranty but not less than standard warranty offer

TECHNICAL SPECIFICATION 1: NETWORK SWITCH (1 Psc)

Item	Key parameters (switch)	
Manufacturer	Cisco, DELL, Microtik or equivalent	
Туре	managed Ethernet-switch	
Number of ports	at least 8x Gigabit Ethernet (RJ-45)	
	at least 2x combo (RJ-45 + SFP)	
Installed RAM	at least 512 MB	
Cache memory size	at least 256 MB	
Total switching capacity	at least 15 Gbps	
L2 switching functions	STP, IGMP, LACP, VLAN (port-based ta 802.Q), Loop	
	detection	
Protocols	LLDP (802.1ab), jumbo frames, prioritization (port-based,	
	802.1p VLAN, ToS/DSCP) DiffServ, QoS	
Security functions	Port Security, SSD (Secure Sensitive Data (SSD),	
	protection against DoS attacks	
Control functions	CLI via SSH/Telnet, SNTP, ping (SNMP), syslog	
Web-management interface	yes, HTTPS, with configuration and monitoring	
Web-management interface	maintaining functions	
Wall-mounted option	yes	
User access control	yes	
Power	220V 50Hz	
	Supply package shall also include:	
	power supply unit or adapter with a cable,	
	other cables, adapters, mounts, and mounting elements	
	required for the operation of the equipment with the	
	specified configuration settings, etc.;	
Supply package	all documentation and software (drivers, installation	
	packages, etc.) provided by the manufacturer for this	
	equipment;	
	all licenses required to ensure the full functioning of the	
	equipment of the above-mentioned configuration as a	
	stand-alone independent system	
	Onsite warranty through Ukrainian service center, at	
Warranty support	least a 12–month equipment manufacturer's warranty	
,	but not less than standard warranty offer	

TECHNICAL SPECIFICATION 1: NETWORK ROUTER (1 Psc)

Item

ITB No. N-UA-2024-000024

Key parameters (router)


Manufacturer	Keenetic, ZyXEL, Microtik or equivalent
Туре	4G/LTE Wi-Fi router
Installed RAM	at least 256 MB
Number of ports	at least 4x Gigabit Ethernet (RJ-45)
	at least 1x USB 3.0, with an option to connect an LTE
	modem
	at least 1x Nano-SIM
Max routing speed	at least 1,800 Mbps for PoE/PPPoE routing
	at least 800 Mbps for L2TP/PPTP routing
Embedded 4G/LTE modem	yes, nano-SIM
Ranges supported by the 4G/LTE modem	FDD-LTE B1/B3/B5/B7/B8/B20
	(2100/1800/850/2600/900/800 MHz)
	TDD-LTE B38/B40/B41 (2600/2300/2500 MHz);
	HSPA+/HSDPA/HSUPA/WCDMA B1/B5/B8 (2100/850/900
	MHz)
Max 4G/LTE speed	at least 300 Mbps (Cat.6)
Connectors for connecting 4G/LTE antennas	at least 2x, SMA type
Removable 4G/LTE antennas included	yes, at least 2x, with at least 4 dBi gain
Additional 4G/LTE antennas included	yes, dual MIMO
	design: for outdoor (street) year-round usage
	gain: at least 2x24 dBi in the range of 1,700 – 2,170 MHz,
	polarization: vertical/horizontal,
	the antenna shall be supplied with a 20-meter long
	coaxial cable (50 Ohm) to connect to the router,
	mounting hardware (clamp), antenna adapters and other
	elements required for installation and connection
Wi-Fi	yes
Wi-Fi class	not lower than AX1800
	(IEEE 802.11ax, operation in two frequency bands 2,4 i
	5 GHz, backward compatibility with IEEE
	802.11a/b/g/n/ac)
Max Wi-Fi speed	not less than 574 Mbps in the 2.4 GHz band
	not less than 1,200 Mbps in the 5 GHz band
Wi-Fi technologies	OFDMA, signal focusing in the direction of the user,
	access control by MAC addresses, WPA2-PSK and WPA-3
	PSK authorization, seamless 802.11k/r/v roaming, a guest
	network option
Wi-Fi antennas	2x or more, MIMO
	with at least 5 dBi gain
Functions and Protocols	Multi-WAN, Internet connection redundancy
	IPOE, PPPOE, PPTP, L2TP, 802.1x
	Ethernet-over-IP, IP-IP, GRE
	DHCP, NAT, IGMP
Converting -	VLAN IEEE 802.1Q
Security functions	client/server: OpenVPN, PPTP, L2TP over IPSec, SSTP
	port forwarding
	firewall with protection against DoS attacks
	setting up an access schedule by clients or interfaces
	guest hotspot with authorization



	ad blocker
Control functions	SNTP (NTP), ping (SNMP)
	configuration backup and restore
	automatic system update
	system event log
	Yes, with the option to configure, remotely control, and
	monitor:
Remote monitoring and control	CLI via SSH/Telnet
	via mobile app (for Android or iOS)
	via the web-interface (HTTPS)
User access control	yes
Power	220V 50Hz
	Supply package shall also include:
	power supply unit or adapter with a cable,
	other cables, adapters, mounts, and mounting elements
	required for the operation of the equipment with the
	specified configuration settings, etc.;
Supply package	all documentation and software (drivers, installation
	packages, etc.) provided by the manufacturer for this
	equipment;
	all licenses required to ensure the full functioning of the
	equipment of the above-mentioned configuration as a
	stand-alone independent system
	Onsite warranty through Ukrainian service center, at
Warranty support	least a 12-month equipment manufacturer's warranty
	but not less than standard warranty offer

TECHNICAL SPECIFICATION: UNINTERRUPTIBLE POWER SUPPLY (1 Psc)

Item	Key parameters (UPS)
Manufacturer	APC, Eaton, Vetrtiv or equivalent
Mounting type	standard 19" rack, mounts included
Height	not higher than 2U
UPS type	line-interactive
Wave type	Sinusoidal
Battery type	lead acid or lithium polymer
Minimum battery life	4 years
Max output	at least 750 VA
Run time under load	at least
Battery charging time	up to 3 hours
Replaceable battery block	yes
Input voltage range	not less than 160 – 286 V
Input voltage frequency	50/60 Hz +/- 3 Hz with auto-sensing
Overvoltage protection	yes, not less than 459 J
Noise suppression	yes, no more than 0.3% of the residual voltage amplitude, voltage surge limitation without time delay, meets UL 1449
Output voltage range	220–230 V 240 V
Harmonic distortion	up to 5 %






Switching to the battery time	no more than 2 ms as standard
Number of output sockets	at least 4x IEC C13
LCD screen	yes, to control and check the UPS status
Indication of	witching to battery operation mode
	low battery
	the option to set delays
USB port	yes
Separate management port	yes
	Supply package shall also include:
	a power cable for connection to a standard power outlet
	(IEC C,F / CEE-7/7)
	other cables, adapters, mounts, and mounting elements
	required for the operation of the equipment with the
Currente an alta an	specified configuration settings, etc.;
Supply package	all documentation and software (drivers, installation
	packages, etc.) provided by the manufacturer for this
	equipment;
	all licenses required to ensure the full functioning of the
	equipment of the above-mentioned configuration as a
	stand-alone independent system
	Onsite warranty through Ukrainian service center, at least
	a 12-month equipment manufacturer's warranty for
Warranty support	repair or replacement of equipment including battery but
	not less than standard warranty offer
	not less than standard warranty offer

TECHNICAL SPECIFICATION: SERVER CABINET (1 Psc)

Item	Key parameters (server cabinet)
Cabinet type	standard 19", floor-standing
Height	15U
Depth	600 mm
Width	600 mm
Max load	at least 400 kg
Mounting rails 19"	with mounting holes
Supports	adjustable over the entire depth
Legs	4 psc, adjustable
Side panels	removable
Cable entry	top + bottom
Fan openings	yes
Doors	toughened glass
	180° opening
	swing swapping option
	crossbar lock, locking the closed door handle with a key
Assembled pull-out shelf	yes, 600-mm deep with telescopic guides, maximum load
	up to 20 kg
Installed socketboard	yes, 1U high, metal housing with switch and grounding
	at least 6 standard sockets (IEC C,F / CEE-7/7) to connect
	equipment
	a cable for connecting the socketboard to the UPS output
	socket (IEC C13 type) included





Supply package	Supply package shall also include: required adapters, mounts, and mounting elements, etc.; door keys (at least 2 for each lock) all documentation and diagrams provided by the manufacturer for this equipment;
Warranty support	Onsite warranty through Ukrainian service center, at least a 12–month manufacturer's warranty but not less than standard warranty offer

TECHNICAL SPECIFICATION: LAPTOP (2 Psc)

Item	Basic parameters (Laptop + software)
Manufacturer	Dell, HP, Lenovo or equivalent
Display diagonal:	15.6"
Display type	IPS or WVA, matte or anti-glare coating
Display resolution	at least 1,080 p (FHD)
Processor	at least Intel Core i5 gen13
RAM	DDR4-3200 or DDR5, at least 16 GB
Discrete video adapter	yes, at least 2 GB
Hard drive	SSD, at least 512 GB
Network port	Gigabit Ethernet (RJ-45)
USB ports	at least 3x ports (including at least 2x USB 3.2 type, at least 1x USB 3.2 Type-C)
Additional Display port	HDMI or USB Type-C (DisplayPort)
Built-in Wi-Fi	yes, 802.11ax (Wi-Fi 6) or 802.11ac (Wi-Fi 5)
Built-in Bluetooth	yes
Fingerprint scanner	yes
Built-in webcam	yes, at least 1,080 p
Built-in microphone	yes
Built-in stereo speakers	yes
Headphone/microphone jack	yes
TPM 2.0 security module	yes
Internal keyboard	English and Ukrainian layouts, backlight
Built-in touchpad	yes
Weight	not more than 1.7 kg
Software	Windows 11 Pro operating system (for each laptop)
	Supply package shall also include
Supply package	power adaptor and all documentation and software
	provided by the manufacturer for this equipment
	Onsite warranty through Ukrainian service center, at least
Warranty support	a 12-month manufacturer's warranty but not less than
	standard warranty offer

TECHNICAL SPECIFICATION: MONITOR (2 Psc)

Item	Key parameters (Monitor)
Manufacturer	Samsung, Dell, Asus or equivalent



Diagonal Size	at least 23.8"
Aspect Ratio	16:9
Matrix type	IPS or VA, matte or anti-glare coating
Resolution	at least 1,080 p (FHD)
Response time	not more than 1 ms
Connectivity	connection type: HDMI
	cable included
Tilt	yes
Warranty	Manufacturer's warranty of at least 12 months but not less than standard warranty offer

TECHNICAL SPECIFICATION: SET OF KEYBOARD AND MOUSE (2 psc)

Item	Key parameters (Keyboard + Mouse)
Manufacturer	Dell, Logitech
Specifications:	keyboard with a numeric keypad set wireless Ukrainian and English keyboard layouts
Warranty	manufacturer's warranty of at least 12 months but not less than standard warranty offer

NEED 3: ACCESS CONTROL EQUIPMENT

In order to ensure operational activity of the office, it shall be equipped with the appropriate access control equipment to be installed and connected in the premises.

TECHNICAL SPECIFICATION: SECURITY SYSTEM SET WITH PHOTO VERIFICATION (1 Psc)

Item	Key parameters (DSS)
Manufacturer	Ajax or another manufacturer headquartered in the USA or
	EU (country of brand registration)
Included	Hub — 1 pc
	Opening detector — 6 psc
	Motion detector + camera — 1 pc
	Key fob — 1 pc
Hub	
Number of connected wireless devices	at least 200
Number of users	at least 200
Automation scenarios	up to 64 based on the parameters of:
	alarm response

ITB No. N-UA-2024-000024

	alaysed estimat
	planned actions
	response to changing the security mode
	response to button presses
Communication channels	RJ45 8P8C Ethernet
	Wi-Fi, at least 802.11 b/g/n
	2 micro-SIM slots with 2G/3G/4G (LTE) support
	automatic switching between communication channels
	two-way communication
	RF communication with devices at a distance of up to 1.5 km
	sabotage-resistant (regular polling of devices within a
	configurable interval, detection of loss of connection)
Communication functions	protection against radio interference and signal interception
	encryption of communication with a floating key
	re-downloading data in case of a transmission error
	checking the delivery of photos
	instant notifications
	remote configuration via the app
	push notifications
Types of notifications	SMS
	calls
	alarms
	malfunctions
Types of events for notification	change of the security mode
Types of events for notification	system events
	automation events
	customization of notification types for each user
	y alarm/scenario/request/schedule
Photographic evidence	resolution: at least 640x480 pix
	a series of photos option
Supported monitoring protocols	SIA (DC-09), SurGard (Contact ID), ADEMCO 685
	220V, 50Hz
Power	Built-in backup battery to provide at least 12 hours of
	autonomous operation
Control	Remote control via the app (Windows, MacOS, Android, iOS)
SIM-card supported	yes, 4G/LTE
	Supply package shall also include:
	power cable, Ethernet cable, all functional and mounting
	elements necessary for the operation of the equipment,
	mounts, etc.;
Supply package	all documentation and software (drivers, installation
	packages, etc.) provided by the manufacturer for this
	equipment;
	all licenses required to ensure the full functioning of the
	equipment as part of the system
Opening detector	
Туре	wireless opening detector compatible with the hub
Protection class	not lower than IP50
Tamper alarm	yes
Authentication to prevent spoofing	yes
Jamming notification	yes
	1



Communication encryption	yes
Terminals for connecting other detectors	yes
Opening capacity	up to 2 mln times
Communication functions	two-way communication at a distance of up to 1.2 km sabotage-resistant (regular polling, detection of loss of connection) protection against radio interference and signal jamming
	encryption of communication with a floating key instant notifications remote configuration via the app
Detection elements	at least reed switch and accelerometer
Tilt sensor trigger threshold	adjustable in the range of at least 5° to 25°
Shock sensitivity	yes, three-level
Power	autonomous providing at least 4 years of operation. Battery(s) included
Supply package	Supply package shall also include: all functional and mounting elements necessary for the operation of the equipment, mounts, etc.; all documentation and software (drivers, installation packages, etc.) provided by the manufacturer for this equipment; all licenses required to ensure the full functioning of the equipment as part of the system
Motion detector + camera	
Туре	wireless motion detector with camera compatible with the hub
Protection class	not lower than IP50
Tamper alarm	Yes
Authentication to prevent spoofing	Yes
Jamming notification	Yes
Communication encryption	Yes
Communication functions	two-way communication at a distance of up to 1.7 km sabotage-resistant (regular polling, detection of loss of connection) protection against radio interference and signal jamming encryption of communication with a floating key instant notifications remote configuration via the app
Detection elements	Infrared sensor
Motion detection range	up to12 m
Motion detection speed	not less than 0.3 to 2.0 m/s range
Field of View	horizontal field of view: at least 88° vertical field of view: at least 80°
Protection against false responses	Yes
Photos by alarm	yes
Maximum resolution	at least 640x480 pix
Infrared illumination	yes
Series of photos	yes



Power	autonomous providing at least 4 years of operation.
	Battery(s) included
	Supply package shall also include:
	all functional and mounting elements necessary for the
	operation of the equipment, mounts, etc.;
Supply package	all documentation and software (drivers, installation
Supply package	packages, etc.) provided by the manufacturer for this
	equipment;
	all licenses required to ensure the full functioning of the
	equipment as part of the system
Key fob	
Tupo	key fob for remote control of security modes compatible
Туре	with the hub
Number of buttons	at least 4
Protection against accidental pressing	yes
Panic button deactivation	yes
Confirmation of command delivery	yes
	two-way communication with encryption
Communication functions	RF communication at a distance of up to 1.2 km
	customizable detector ping polling period
	self-regulating radio signal power
	remote configuration via the app
Power	autonomous providing at least 4 years of operation.
Power	Battery(s) included
	at least a 12-month equipment manufacturer's warranty for
Warranty support	all listed equipment but not less than standard warranty
	offer

TECHNICAL SPECIFICATION: BIOMETRIC LOCK (2 psc)

Item	Key parameters (switch)
Manufacturer	UltraLoq (U-tec) or another manufacturer headquartered
	in the USA or EU (country of brand registration)
Туре	biometric mortise lock
Mounting	vertical
Locking type	main
Number of handles	2
Protection class	not lower than IP65
Main manufacturing material	zinc alloy, other equivalent or more durable metal
Door thickness for installation	40–65 mm
Opening method	fingerprint (reading time up to 0.3 seconds)
	digital code (with backlight)
	smartphone app
	physical key
Reversible handle	yes
Automatic locking	yes
Supported connections	Wi-Fi
	Bluetooth
Mobile app	yes
Functions available in the mobile app	user management



	I
	provision of temporary access
	granting access on a schedule
	event log with user, time, and access method
	notifications about events
Data encryption	AES or better
The maximum number of registered codes	at least 50
The maximum number of registered users	at least 50
The maximum number of fingerprints for each	at least 2
user	
Power	autonomous providing at least 1 year of operation (or up
	to 8 thousand openings). Battery(s) included
	USB connector (microUSB or Type-C) for connecting a
	standard 5 V external battery (PowerBank)
Battery discharge notification	yes
	Supply package shall also include:
	keys sets (at least 2)
	required mounts, connecting and mounting elements,
	etc.;
Supply package	all documentation and software (drivers, installation
	packages, etc.) provided by the manufacturer for this
	equipment;
	all licenses required to ensure the functioning of the
	equipment as a stand-alone independent system
	At least a 12–month equipment manufacturer's warranty
Warranty support	but not less than standard warranty offer

NEED 4: UNLIMITED 4G/LTE DATA TRANSFER SERVICE

In order to ensure operational activity of the office, it shall be equipped with the appropriate access control equipment to be installed and connected in the premises.

TECHNICAL SPECIFICATION: 4G/LTE SERVICE CONTRACT (1 Psc)

Item	4G/LTE service contract
Service Provider	Kyivstar, Lifecell, Vodafone
Service type	Unlimited Internet 4G/LTE connection
Service duration	12 month, 24/7
SIM-card type	MicroSIM/NanoSIM
Quantity	2 SIM cards with the same number and tariff (SIM-clone)
SMS per month limit	200 or more
Warranty support	12 month, according to Service Provider Terms





TECHNICAL SPECIFICATION: MICROSOFT 365 LICENSES (1 Set)

Item	Microsoft 365 Business premium licenses	
Service Provider	Microsoft	
Users	5 user licenses	
Service duration	12 month, 24/7	
Warranty support	12 month, according to Microsoft Terms	



ANNEX D BID SUBMISSION FORM

This Form must be submitted using the Supplier's Official Letterhead/Stationery in the format specified below)

Dear Sir / Madam,

Having examined the Solicitation Documents, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to provide **Goods** for [INSERT AMOUNT OF MONEY AND CURRENCY] as may be ascertained in accordance with the Price Schedule (Annex F) attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to commence and complete delivery of all services specified in the contract within the time frame stipulated.

We agree to abide by this Bid for a period of 90 days from the date fixed for opening of Bids in the Invitation to Bid, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

We hereby accept the IDLO's General Terms and Conditions in full and Payment Policy of payment within 30 days after delivery of service on presentation of complete and correct invoice.

We understand that you are not bound to accept any Bid you may receive.

Company/Organization	1:	
Name:		
Title:		
Date: <mark>Select date</mark>		
Signature:		
0	Duly authorized to sign this Bid	



ANNEX E BIDDER INFORMATION FORM

Name of Bidder:	[Complete]	Date: Select date
ITB reference:	ITB No. N-UA-2	2024-000024
Legal name of Bidde Legal address Year of registration Bidder's Authorized Information		[Complete] [Complete] [Complete] Name: [Complete] Title: [Complete] Telephone numbers: [Complete] Email: [Complete]
Are you an IDLO ver Countries of operation No. of full-time emp Quality Assurance C ISO 9000 or Equiva provide a Copy of the	on bloyees ertification (e.g. llent) <i>(If yes,</i>	□ Yes □ No If yes, [insert IDLO vendor number] [Complete] [Complete] [Complete]
Does your Company accreditation such as ISO 14064 or equiva the environment? (If Copy of the valid Cert	s ISO 14001 or alent related to yes, provide a	[Complete]
Contact person that contact for requests clarifications during	for	Name: [Complete] Title: [Complete] Telephone numbers: [Complete] Email: [Complete]
Please attach the fo documents: [As per Annex B - Pr Screening Criteria]	-	 Certificate of Incorporation/ Business Registration Tax Registration/Payment Certificate issued by the Internal Revenue Authority evidencing that the Bidder is updated with its tax payment obligations, or Certificate of Tax exemption, if any such privilege is enjoyed by the Bidder Trade name registration papers, if applicable Certification or authorization to act as Agent on behalf of the Manufacturer, or Power of Attorney, if applicable Patent Registration Certificates, if any of technologies submitted in the Bid is patented by the Bidder (if applicable) Self-Attestation Letter that Vendor is not suspended, nor debarred, nor otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization in accordance with ITB Annex A Clause 21.



	Self-Attestation Letter that Vendor has not declared bankruptcy, is not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against the vendor that could impair its operations in the foreseeable future.
-	Self-Attestation Letter that there are no consistent history of court/arbitral award decisions against the Bidder for the last 3 years.
•	Copies of two (2) contracts/ LPOs / Reference Letters from Inter-Governmental/National/International Organizations or Foreign Diplomatic Missions in Ukraine with contactable domain email addresses for verification
•	Copy of Product Catalogues/Brochures/Website attesting compliance to Technical Specifications
•	Financial Statements or Bank Statements for the past three (3) years





ANNEX F PRICE SCHEDULE

The Price Schedule must provide a detailed cost breakdown. Provide separate figures for each functional grouping or category.

IDLO is registered in Ukraine as an implementer of international technical assistance project and is free of VAT obligations. This means that the price in the quotation must be indicated without VAT and any invoice submitted in the future must include the phrase **«No VAT»**.

The format shown in the below table should be used while preparing the price schedule. The format includes specific expenditures, which may or may not be required or applicable but are indicated to serve as examples.

Note: the unit prices are fixed in EUR. However, the payment might be performed in the local currency (UAH) as per the exchange rate of the National Bank of Ukraine on the date of the invoice issuance.



Lots	Type of ICT Equipment	Description of Technical Specifications	Unit Measure	Required quantity	Unit Price In EUR, excluding VAT	Total Price In EUR, excluding VAT
NEED 1/	VIDEO CONFERENCING EQUIPMENT					
Lot 1	Set of Video conferencing equipment (Set 1)	<i>As per Annex C (Paragraph E) Technical Specifications</i>	Pcs	1		
Lot 2	Set of Video conferencing equipment (Set 2)	As per Annex C (Paragraph E) Technical Specifications	Pcs	1		
NEED 2 /	INFORMATION TECHNOLOGY EQUIP	MENT				
Lot 3	Set of Data storage system	As per Annex C (Paragraph E) Technical Specifications	Pcs	1		
Lot 4	Network switch	As per Annex C (Paragraph E) Technical Specifications	Pcs	1		
Lot 5	Network router	As per Annex C (Paragraph E) Technical Specifications	Pcs	1		
Lot 6	Uninterruptible Power Supply	As per Annex C (Paragraph E) Technical Specifications	Pcs	1		
Lot 7	Server Cabinet	As per Annex C (Paragraph E) Technical Specifications	Pcs	1		
Lot 8	Laptop	As per Annex C (Paragraph E) Technical Specifications	Pcs	2		
Lot 9	Monitor	As per Annex C (Paragraph E) Technical Specifications	Pcs	2		
Lot 10	Set Of Keyboard And Mouse	As per Annex C (Paragraph E) Technical Specifications	Pcs	2		
NEED 3 /	ACCESS CONTROL EQUIPMENT					

Lots	Type of ICT Equipment	Description of Technical Specifications	Unit Measure	Required quantity	Unit Price In EUR, excluding VAT	Total Price In EUR, excluding VAT
Lot 11	Security system set with photo verification	As per Annex C (Paragraph E) Technical Specifications	Pcs	1		
Lot 12	Biometric lock	As per Annex C (Paragraph E) Technical Specifications	Pcs	2		
NEED 4 / UN	NLIMITED 4G/LTE DATA TRANSFER SEI	RVICE				
Lot 13	4G/LTE SERVICE CONTRACT (1 PCS)	As per Annex C (Paragraph E) Technical Specifications	Pcs	1		
Lot 14	Microsoft 365 licenses	As per Annex C (Paragraph E) Technical Specifications	Pcs	1		
DELIVERY /	DELIVERY / INSTALLATION					
Lot 15	Delivery and Installation of goods (Need 1)	As per Annex C (Paragraph E) Technical Specifications	Service	1		
Lot 16	Delivery of goods (Need 2 / Need 3/ Need 4)	As per Annex C (Paragraph E) Technical Specifications	Service	1		
Total Cost o	f Goods					
Other Charg	es (please specify)					
Grand Total						

Table 2: Offer for After-Sale Services and Other Conditions

Other Information	Responses		sponses
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter proposal
Delivery Lead Time of 20 working days within Need 1			
(Video conferencing equipment) from date of contract			
signature.			
Delivery Lead Time of 10 working days within Need 2			
(Information technology equipment) / Need 3 (Access			
control equipment) / Need 4 (Unlimited 4G/LTE Data			
Transfer Service) from date of contract signature.			
Warranty as per Lot specifications under Annex C Technical	Specifications		
 Lot 1 Video conferencing equipment (Set 1) Service support: at least 12 months for all manufacturer's equipment Warranty support: onsite warranty through Ukrainian service center, at least a 12–month equipment manufacturer's warranty but not less than standard warranty offer 			
Lot 2 Video conferencing equipment (Set 2) Service support: at least 12 months for all 			
manufacturer's equipment			

 Warranty support: onsite warranty through Ukrainian service center, at least a 12–month equipment manufacturer's warranty but not less than standard warranty offer 	
 Lot 3 Data storage system Warranty support: onsite warranty through Ukrainian service center, at least a 12–month equipment manufacturer's warranty but not less than standard warranty offer 	
Lot 4 Network switch Warranty support: onsite warranty through Ukrainian service center, at least a 12–month equipment manufacturer's warranty but not less than standard warranty offer 	
Lot 5 Network router - Warranty support: onsite warranty through Ukrainian service center, at least a 12–month equipment manufacturer's warranty but not less than standard warranty offer	
Lot 6 Uninterruptible Power Supply Warranty support: onsite warranty through Ukrainian service center, at least a 12–month including the battery but not less than standard warranty offer 	
Lot 7 Server Cabinet Warranty support: onsite warranty through Ukrainian service center, at least a 12–month 	

 Warranty support: onsite warranty through Ukrainian service center, at least a 12-month manufacturer's warranty but not less than standard warranty offer Lot 9 Monitor Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 10 Set of Keyboard and mouse 	· · · · · · · ·		
Lot 8 Laptop - Warranty support: onsite warranty through Ukrainian service center, at least a 12-month manufacturer's warranty but not less than standard warranty offer - Lot 9 Monitor - - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 10 Set of Keyboard and mouse - - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 11 Security system set with photo verification - - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 11 Security system set with photo verification - - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 12 Biometric lock - - Warranty support: at least a 12-month equipment manufacturer's warranty but not less than standard warranty offer Lot 13 4G/LTE SERVICE CONTRACT - - 12 month, according to Service Provider Terms			
Warranty support: onsite warranty through Ukrainian service center, at least a 12-month manufacturer's warranty but not less than standard warranty offer Lot 9 Monitor Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 10 Set of Keyboard and mouse Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 11 Security system set with photo verification Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 12 Biometric lock Warranty: support: at least a 12-month equipment manufacturer's warranty but not less than standard warranty offer Lot 13 Ad/LTE SERVICE CONTRACT 12 month, according to Service Provider Terms	warranty offer		
Ukrainian service center, at least a 12-month manufacturer's warranty but not less than standard warranty offer Lot 9 Monitor Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 10 Set of Keyboard and mouse Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 11 Security system set with photo verification Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 12 Biometric lock Warranty support: at least a 12-month equipment manufacturer's warranty but not less than standard warranty offer Lot 13 46/LTE SERVICE CONTRACT 12 month, according to Service Provider Terms Marcianty and the service Provider Terms Marcianty and the	Lot 8 Laptop		
manufacturer's warranty but not less than standard warranty offer Lot 9 Monitor - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 10 Set of Keyboard and mouse - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 11 Security system set with photo verification - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 12 Biometric lock - Warranty support: at least a 12-month equipment manufacturer's warranty offer Lot 13 4G/LTE SERVICE CONTRACT - 12 month, according to Service Provider Terms	 Warranty support: onsite warranty through 		
manufacturer's warranty but not less than standard warranty offer Lot 9 Monitor - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 10 Set of Keyboard and mouse - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 11 Security system set with photo verification - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 12 Biometric lock - Warranty support: at least a 12-month equipment manufacturer's warranty offer Lot 13 4G/LTE SERVICE CONTRACT - 12 month, according to Service Provider Terms	Ukrainian service center, at least a 12-month		
warranty offerImage: constrainty offerLot 9 Monitor - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offerImage: constraint of the standard warranty offerLot 10 Set of Keyboard and mouse - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offerImage: constraint of the standard warranty offerLot 11 Security system set with photo verification - Warranty: Manufacturer's warranty offerImage: constraint of the standard warranty offerLot 12 Biometric lock - Warranty support: at least a 12-month equipment manufacturer's warranty but not less than standard warranty offerImage: constraint of the standard warranty offerLot 13 4G/LTE SERVICE CONTRACT - 12 month, according to Service Provider TermsImage: constraint of the standard terms			
Lot 9 Monitor - - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 10 Set of Keyboard and mouse - - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 11 Security system set with photo verification - - Warranty: Manufacturer's warranty of at least - 12 months but not less than standard warranty offer - Lot 11 Security system set with photo verification - - Warranty: Manufacturer's warranty of at least - 12 months but not less than standard warranty offer - Lot 12 Biometric lock - - Warranty support: at least a 12-month equipment manufacturer's warranty but not less than standard warranty offer - Lot 13 4G/LTE SERVICE CONTRACT - - - 12 month, according to Service Provider Terms - -			
12 months but not less than standard warranty offer Image: Constraint of the set of Keyboard and mouse - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 11 Security system set with photo verification Image: Constraint of the set of	Lot 9 Monitor		
12 months but not less than standard warranty offer Image: Constraint of the set of Keyboard and mouse - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 11 Security system set with photo verification Image: Constraint of the set of	- Warranty: Manufacturer's warranty of at least		
Lot 10 Set of Keyboard and mouse			
 Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 11 Security system set with photo verification Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 12 Biometric lock 	,		
 Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 11 Security system set with photo verification Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 12 Biometric lock 	Lot 10 Set of Keyboard and mouse		
12 months but not less than standard warranty offer Lot 11 Security system set with photo verification - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 12 Biometric lock - Warranty support: at least a 12-month equipment manufacturer's warranty but not less than standard warranty offer Lot 13 4G/LTE SERVICE CONTRACT - 12 month, according to Service Provider Terms			
Lot 11 Security system set with photo verification - - Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 12 Biometric lock - Warranty support: at least a 12-month equipment manufacturer's warranty but not less than standard warranty offer Lot 13 4G/LTE SERVICE CONTRACT - 12 month, according to Service Provider Terms			
 Warranty: Manufacturer's warranty of at least 12 months but not less than standard warranty offer Lot 12 Biometric lock Warranty support: at least a 12–month equipment manufacturer's warranty but not less than standard warranty offer Lot 13 4G/LTE SERVICE CONTRACT 12 month, according to Service Provider Terms 	,		
12 months but not less than standard warranty offer 12 months but not less than standard warranty offer Lot 12 Biometric lock Warranty support: at least a 12–month equipment manufacturer's warranty but not less than standard warranty offer Lot 13 4G/LTE SERVICE CONTRACT 12 month, according to Service Provider Terms	Lot 11 Security system set with photo verification		
12 months but not less than standard warranty offer 12 months but not less than standard warranty offer Lot 12 Biometric lock Warranty support: at least a 12–month equipment manufacturer's warranty but not less than standard warranty offer Lot 13 4G/LTE SERVICE CONTRACT 12 month, according to Service Provider Terms			
Lot 12 Biometric lock - Warranty support: at least a 12–month equipment manufacturer's warranty but not less than standard warranty offer -			
 Warranty support: at least a 12–month equipment manufacturer's warranty but not less than standard warranty offer Lot 13 4G/LTE SERVICE CONTRACT 12 month, according to Service Provider Terms Marcine Service Provider Terms 			
manufacturer's warranty but not less than standard warranty offer Lot 13 4G/LTE SERVICE CONTRACT - 12 month, according to Service Provider Terms	Lot 12 Biometric lock		
manufacturer's warranty but not less than standard warranty offer Lot 13 4G/LTE SERVICE CONTRACT - 12 month, according to Service Provider Terms	- Warranty support: at least a 12–month equipment		
warranty offer Image: Constraint of the service of			
Lot 13 4G/LTE SERVICE CONTRACT - 12 month, according to Service Provider Terms			
- 12 month, according to Service Provider Terms	Lot 13 4G/LTE SERVICE CONTRACT		
LOT 14 IVIICTOSOTT 365 IICENSES	Lot 14 Microsoft 365 licenses		
- 12 month service and warranty support according to	- 12 month service and warranty support according to		
Microsoft Terms	, ,, ,		

Name, position and signature of the Bidder	Bidder's Stamp
Duly authorised to sign this Bid	
Date:	

ANNEX G IDLO SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract shall supplement and/or amend the IDLO General Terms and Conditions for the Procurement of **Goods**. Whenever there is a conflict, the provisions of the Special Conditions of Contract shall prevail over those in IDLO General Terms and Conditions for the Procurement of **Goods**.

Place of delivery	Office of the Prosecutor General, Kyiv.
Delivery date	Delivery Lead Time of 20 working days within Need 1 (Video conferencing equipment) from date of contract signature. Delivery Lead Time of 10 working days within Need 2 (Information technology equipment) / Need 3 (Access control equipment) / Need 4 (Unlimited 4G/LTE Data
Payment terms	Transfer Service) from date of contract signature.IDLO will process payment within 30 days after satisfactory receipt of all goods/ provision of services and upon receipt
Warranty	of the complete and correct invoice by the service provider. Image: Service of the complete and correct invoice by the service provider. Image: Service of the complete and correct invoice by the service of the complete and correct invoice by the service provider. Image: Service of the complete and correct invoice by the service of the complete and correct invoice by the service of the service of the complete and correct invoice by the service of the service of the complete and correct invoice by the service of the servic





ANNEX H

IDLO GENERAL TERMS AND CONDITIONS FOR THE PROCUREMENT OF GOODS OR SERVICES AND IDLO SUPPLIER CODE OF CONDUCT

Any proposal submission will imply the unconditional acceptance of IDLO General Terms and Conditions for Goods and Services and adherence to the Supplier Code of Conduct.

The documents are available on IDLO Procurement Website:

https://www.idlo.int/sites/default/files/documents/general_terms_and_conditions_for_goods _august_2020.pdf

https://www.idlo.int/sites/default/files/documents/general_terms_and_conditions_for_servic es_august_2020.pdf

https://www.idlo.int/sites/default/files/documents/idlo-supplier-code-of-conduct.pdf



ITB N-UA-2024-000024