

REQUEST FOR QUOTATION
PROCUREMENT OF ICT EQUIPMENT
RFQ N_761-KGZ_21

Date: July 12, 2021

Dear Sir / Madam,

You are kindly requested to submit your quotation for **ICT Equipment in Kyrgyzstan** as described in Annex B.

We also request that your Quotation is submitted using the format specifically detailed in Annex C.

Quotations submitted by email must be limited to a maximum of **10MB, virus-free** and no more than two email transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

Quotation shall be evaluated based on lowest priced Quotation meeting requirements as per the criteria set in Annex A, point q.

In the event of a discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity), the unit price shall prevail and the total price shall be corrected by IDLO. If the Bidder does not accept the final price based on IDLO's correction of errors, its Quotation will be rejected.

The Bidders shall not vary their prices for any reason after the deadline of the tender and while the Quotation is still valid. At the time of award of Contract, IDLO reserves the right to vary (increase or decrease) the quantity of goods services, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

IDLO is not bound to accept any Quotation, nor award a Contract, nor be responsible for any costs associated with a Bidder's preparation and submission of a Quotation, regardless of the outcome or the manner of conducting the selection process.

IDLO encourages every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to IDLO if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

By submitting a Quotation in response to this information, Bidders are confirming acceptance of IDLO's General Terms and Conditions in full and Payment Policy of payment within 30 days after delivery of service on presentation of complete and correct invoice.

This Request for Quotation (RFQ) is comprised of:

Instruction to Bidders	Annex A
Technical Specifications	Annex B
Supplier's Quotation	Annex C
IDLO General Terms and Conditions for the Procurement of Goods or Services and IDLO Supplier Code of Conduct	Annex D

For any questions/clarifications related to this RFQ please contact IDLO on tenders@idlo.int and mention **Clarifications RFQ N_761-KGZ_21** in the subject section of your email no later than 48 hours prior to the deadline for submission.

The Quote shall be addressed to IDLO on or before

Date: July 20, 2021

Time: 15:00 hours Rome local time.

Thank you and we look forward to receiving your quotation.

Sincerely yours,

International Development Law Organization | IDLO

Kyrgyzstan Country Office

Annex A
Instructions to Bidders

a. Description of requested Goods	See Annex B
b. Deadline for Quotation	The Quote shall be addressed to IDLO on or before Date: July 20, 2021 Time: 15:00 hours Rome local time.
c. General Terms and Conditions	Any bid submission will imply the unconditional acceptance of IDLO General Terms and Conditions for the Procurement of Goods and adherence to the Supplier Code of Conduct.
d. Payment Terms	IDLO will conduct the payment within 30 days after satisfactory receipt of all goods and upon submission of the invoice by the Supplier.
e. Conditions for Release of Payment	IDLO Acceptance of Goods Form based on full compliance with RFQ requirements
f. Validity of Quotation starting from the Deadline of the Tender	60 days In exceptional circumstances, IDLO may request the Bidder to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Bidder shall then confirm the extension in writing, without any modification whatsoever on the Quotation.
g. Quotations Submission	All quotations shall be submitted through the following e-mail address: tenders@idlo.int
h. Partial Quotations	<input type="checkbox"/> Not permitted <input checked="" type="checkbox"/> Permitted Bidders may submit a Quote for one or more Lots
i. Place of Delivery	Goods shall be delivered to: 205 Abdumomunova Street Bishkek Kyrgyzstan
j. Delivery Terms	Incoterms Delivery Duty Paid (DDP) Goods will be delivered within 90 days after receipt of PO or contract from IDLO to Bishkek, Kyrgyzstan.
k. Customs clearance, if needed, shall be done by:	<input type="checkbox"/> IDLO <input checked="" type="checkbox"/> Supplier <input type="checkbox"/> N/A
l. Currency of Quotation	Kyrgyz Soms <i>Note: (Local Suppliers must comply with any applicable laws regarding doing business in other currencies)</i>

m. Preliminary Documents to be Submitted	<input checked="" type="checkbox"/> Annex C duly signed and stamped, and in accordance with the list of requirements in Annex B; <input checked="" type="checkbox"/> Product Catalogues or Brochures (Product Data Sheets) attesting compliance with Technical Specifications as mentioned under Annex B; <input checked="" type="checkbox"/> Provision of Serial Numbers at Time of Shipment to be included in Contract and to be counterchecked by IDLO at the time of Delivery <input checked="" type="checkbox"/> Quality Certificates for the Goods (ISO, etc.); <input checked="" type="checkbox"/> Latest Business Registration Certificate; <input checked="" type="checkbox"/> Latest Internal Revenue Certificate / Tax Clearance; <input checked="" type="checkbox"/> Manufacturer’s Authorization of the Company as a Sales Agent (if Supplier is not the manufacturer); <input checked="" type="checkbox"/> Minimum two (2) Contracts/LPOs of similar value and nature in the past two (2) years as proof of experience with UN Agencies, INGOs, NGOs, or Foreign Embassies indicating contactable domain email references for verification <input checked="" type="checkbox"/> Letters of Reference from at least two (2) clients indicating delivery of similar Goods in the past two (2) years with contactable domain email references for verification <input checked="" type="checkbox"/> Relevant Company Profile
n. Special Packing Requirement	<input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes
o. After-sales services required, if applicable	<input checked="" type="checkbox"/> Warranty on Parts and Labour for minimum period of 1 year <input type="checkbox"/> Technical Support <input type="checkbox"/> Provision of Service Unit when pulled out for maintenance/ repair <input type="checkbox"/> Others
p. Evaluation of Quote	Evaluation will be done according to the following order of priorities: <ol style="list-style-type: none"> 1. Full submission of Preliminary Documents (as per Annex A, point n.) 2. Technical responsiveness 3. Comprehensiveness of after-sales services, as per Annex A, point p, if applicable. 4. Earliest Delivery Date 5. Lowest price
q. Contract Award	Contract Award shall be granted according to: <ol style="list-style-type: none"> a. Full submission of Price Schedule (Annex C) signed and stamped; b. Lowest priced, most technically acceptable/compliant offer;
r. Contract Signature	Within five (5) calendar days from the date of receipt of the Contract, the successful Bidder shall sign and date the Contract and return it to IDLO. Failure to do so may constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security, if any, and

	on which event, IDLO may award the Contract to the Second Ranked Bidder or call for new Bids.
s. Liquidated Damages	<input type="checkbox"/> N/A <input checked="" type="checkbox"/> Yes - For late delivery of Goods, IDLO shall be entitled to claim liquidated damages from the Contractor in accordance with Article 23 of the General Terms and Conditions. Liquidated damages for inferior quality or non-conformance of specifications of Goods will be assessed on a case-by-case basis in accordance with the severity of the problem as determined solely by IDLO. The application of this liquidated damages provision shall not relieve the Contractor of its obligations or liabilities pursuant to this Contract.

ANNEX B TECHNICAL SPECIFICATIONS

General Requirements

1. Equipment and consumables must ensure a consistently high quality of operation and be reliable.
2. Used, reconditioned, recycled, or modified in any way equipment or consumables are not allowed.
3. Equipment from leading manufacturers should be provided.
4. All proposed equipment characteristics must meet or exceed the minimum technical characteristics indicated in this technical specification.
5. Full warranty (factory warranty and maintenance servicing guarantee) for the supplied equipment and consumables must be valid for at least 12 months.
 - i. During the warranty period, the restoration of equipment operability at the Customer's site shall be within one working week.
 - ii. During the warranty period, if it is impossible to restore the functionality of the failed equipment (in a warranty case), it must be replaced with the same model or a similar counterpart (as agreed with the Customer) within 14 working days.
6. The equipment must be supplied with a full set of drivers for installed devices on electronic media.
7. Delivery at the request of the supplier or buyer can be carried out ahead of schedule.
8. All hardware must be designed for operation in the following conditions (GOST 2132-80 / for enclosed spaces/):
 - power supply parameters (220 V + 10 / -15%, 50 Hz +/- 1 Hz);
 - ambient temperature from + 10 ° C to + 32 ° C;
 - relative humidity from 40% to 80% at a temperature of 23 ° C. Life time of the equipment must be at least 5 years.

Specifications for Goods

Lots	Item Name	Specification	Unit measure	Quantity
Lot 1	HDMI Splitter for 2 ports (2 out, 1 in)	<ul style="list-style-type: none"> • HDMI type Splitter • Number of inputs 1 • Number of outputs 2 • Max. Resolution: 4Kx2K @ 60Hz • Supports HDCP 2.2, EDID, 12-Bit Deep Color, LPCM 7.1, Dolby True HD, DTS-HD Master Audio • Bandwidth 18 Gb / s • Power supply 5V 	UNIT	4
Lot 2	Uninterruptible Power Supply for Personal Computer (1200VA)	<ul style="list-style-type: none"> • UPS type: Line-interactive • Power capacity: 1200VA / 720W • Input voltage: 220V • Output voltage 220V +/-10% • Input frequency: 45-65Hz • Output frequency: 50/60 ± 0.5Hz • Power cable length: 1.5 meters • AVR operating range: 165-275V • Number and type of output connectors: 3 x Schuko • Mode switching time: 3 ms • Output waveform: Step Sine wave • Number and type of batteries: 12V / 7.5Ah x 2 • Battery charge time: 6-8 hours • Front panel: LED indicators • Interface for communication with a PC USB (Smart technology) • Auto turn on • Silent mode • Telephone line protection • Battery deep discharge protection • Short circuit and overload protection 	UNIT	8
Lot 3	4-camera network video recorder, 4-channel IP-video recorder	<ul style="list-style-type: none"> • Video recording up to 8MP • Video output up to 4K resolution • Synchronous playback of 4 channels • 4MP • 1 SATA HDD up to 6TB • 1 RJ-45 10M / 100M Ethernet network interface • Video / audio input • Video compression format: H.265/H.265+/H.264/H.264+/MPEG4 • IP cameras: 4 channels • Two-way audio input: 1 channel, RCA (2.0 Vp-p, 1kΩ) 	UNIT	4

Lots	Item Name	Specification	Unit measure	Quantity
		<ul style="list-style-type: none"> • Incoming Bandwidth: 40 Mbps • Outgoing bandwidth: 80 Mbps • Video Output: 1 HDMI, 1 VGA (duplicate) • Output resolution: HDMI: 4K (3840 × 2160)/30Hz, 1920 × 1080/60Hz, 1600 × 1200/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz; VGA: 1920 × 1080/60Hz, 1600 × 1200/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz • Audio output: 1 channel, RCA (Linear, 1 KΩ) • Recording: <ul style="list-style-type: none"> • Number of streams: 2 • Main stream: 8MP/ 6MP/ 5MP/ 4MP/ 3MP/ 1080p/ UXGA/ 720p/ VGA/ 4CIF/DCIF/ 2CIF/ CIF/ QCIF • Additional stream: According to conn. camcorder • Stream type: Video, video and audio • Video bitrate: 32 kbps - 16 Mbps • Audio bitrate: According to conn. camcorder • Synchronous playback: 2 channels @ 4 MP (25fps) / 4 channels @ 1080p (25fps) • Zero channel: Supported • Features: <ul style="list-style-type: none"> • ANR: Supported • Local Smart Search: Supported • Smart camcorder functions: Supported • Network: <ul style="list-style-type: none"> • Remote connections: 128 • Protocols: TCP/IP, DHCP, DNS, DDNS, NTP, SADP, SMTP, NFS, iSCSI, UPnP™, HTTPS • HDD included: <ul style="list-style-type: none"> • SATA: 1 SATA • Volume: up to 6 TB each • External interfaces: 		

Lots	Item Name	Specification	Unit measure	Quantity
		<ul style="list-style-type: none"> • Network interfaces: 1 RJ-45 10M / 100M Ethernet • USB-interface: 2 x USB2.0 • General: <ul style="list-style-type: none"> • Power supply: DC12B • Power consumption (without HDD): ≤10W 		
Lot 4	4 TB hard drive	<ul style="list-style-type: none"> • Power consumption: 5.10 W • Additional Information: HDD for 24/7 security systems with 32 or less HD cameras and 8 or less hard drives • General features • Type: HDD • Form factor HDD:3.5" • 4 KB Sector Support: yes • Drive specifications • Size: 4,000 GB • Rotational speed (RPM): 5,400 rpm • Digital storage buffer: 64 MB • Recording / read rate:150/150 Mbps • Interface • Connection: SATA 6Gbit/s • External data transfer rate: 600 Mb/s • Operational shock resistance: 30 G • Storage shock resistance:250 G • MTBF: 1,000,000 h • Idle noise level: 25dB • Operation noise level: 26 dB 	UNIT	4
Lot 5	4Mpx IP camera with varifocal zoom	<p>Camera:</p> <ul style="list-style-type: none"> • Resolution (MP): 4 • Microphone: No • Matrix: 1/3" progressive scan CMOS • Installation angle adjustment: Pan: 0 ° - 355 °, Tilt: 0 - 75 °, Rotation: 0 ° - 355 ° • Sensitivity (Lx): Color: 0.01 Lux @ (F1.2, AGC ON), 0.018Lux @ (F1.6, AGC ON) • Electronic shutter: 1/3 sec - 1 / 100,000 sec • Lens mount: Φ14 • Wide Dynamic Range (WDR): Yes - 120dB • Day / Night Mode: Mechanical IR Filter with Auto Switching • Digital noise reduction: 3D DNR 	UNIT	16

Lots	Item Name	Specification	Unit measure	Quantity
		<p>Lens:</p> <ul style="list-style-type: none"> • Focal length (mm.): 2.8-12 • Viewing angles: Horizontal field of view: 98°to 28° Vertical field of view: 51°to 16° Diagonal field of view: 115°to 32° • Lens type: Motorized <p>Compression standard:</p> <ul style="list-style-type: none"> • Video Compression: Main stream: H.265/H.264 Additional stream: H.265/H.264/MJPEG • Video Bitrate: 32Kbps~8Mbps <p>Image characteristics:</p> <ul style="list-style-type: none"> • Effective pixels (HxV): 2560 × 1440 • Max Write Speed (fps): 3MP - 20fps • Frame parameters: Adjusting brightness, contrast, saturation via client software or Web browser • Back Compensation: Yes, Adjustable Light Zones (BLC) • Range of interest (ROI): Supported <p>Network:</p> <ul style="list-style-type: none"> • Storage: NAS (NFS, SMB/CIFS), ANR • Intelligent Alarm: Detect: Intrusion, Defocus, Motion. Dynamic analysis, tampering alert, network outage, IP address conflict, storage exceptions • Protocols: TCP/IP, UDP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPoE, NTP, UPnP, SMTP, SNMP, IGMP, 802.1X, QoS, IPv6, Bonjour • Compatibility: ONVIF, PSIA, CGI, ISAPI • Functions: Password protection, watermark, dual stream <p>Interfaces:</p> <ul style="list-style-type: none"> • Memory card support (GB): Up to 128GB • Network interface: 1 RJ45 10M / 100M Ethernet port <p>General:</p> <ul style="list-style-type: none"> • Operating conditions: -30 ° C ~ + 60 ° C, humidity not more than 95% (without condensation) • Power supply: 12 VDC, 0.8 A, Max: 10 W; PoE: (802.3af, 36 V to 57 V), 0.35 A to 0.2 A, Max: 12 W 		

Lots	Item Name	Specification	Unit measure	Quantity
		<ul style="list-style-type: none"> • Moisture protection: IP67 • IR illumination (meters): 30 <p>Additional:</p> <ul style="list-style-type: none"> • Camera type: Dome • IR illumination type: Standard • Wi-Fi: No • Audio: No • Vandal resistance: Yes, IK10 		
Lot 6	8-port gigabit switch	<ul style="list-style-type: none"> • Standards and protocols: IEEE 802.3i, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3x, 802.1p • Interface: 8 ports 10/100/1000 Mbps auto-negotiating, with RJ45 connectors (auto-MDI / MDIX) • Data transmitting medium: 10BASE-T: UTP (unshielded twisted pair) Category 3, 4, 5 cable (max. 100 m) • 100BASE-TX/1000Base-T: UTP (unshielded twisted pair) Category 5, 5e or higher cable (max. 100 m) • Power supply: 100-240 V.AC, 50/60 Hz • Mount: Rack • Maximum power consumption: 4.3W • Maximum heat radiation: 14.67 BTU / hour <p>Performance</p> <ul style="list-style-type: none"> • Switching capacity: 16 Gbps • Packet rate: 11.9 Mbps • MAC Address Table: 4K • Buffer memory: 2 MB • Jumbo Frames: 16KB • Transfer Method: Store-and-Forward <p>Software characteristics:</p> <ul style="list-style-type: none"> • Additional Features: Green Ethernet Technology • Flow control: 802.3X • 802.1p/DSCP QoS • IGMP Snooping <p>Other</p> <ul style="list-style-type: none"> • Certification: FCC, CE, RoHS • Package Contents: 8-Port Gigabit Desktop Switch • Power cable • Rack mount fixing kit • Rubber feet 	UNIT	4

Lots	Item Name	Specification	Unit measure	Quantity
Lot 7	Video capture card	<ul style="list-style-type: none"> • Maximum source resolution: 2160p x 60 • Source Video Modes: 1080 x50, 1080p x30, 720p x50, 1080p x24, 1080p x25, 1080p x50, 2160p x24, 2160p x25, 480p x60, 2160p x60, 1440p x144, 1080p x240, 480p x50, 576p x60, 720p x60, 1080i x60, 1080p x60, 2160p x30 • Source connectors: HDMI • Compatible Sources: Console, PC • Loop-through connections / outputs: HDMI • Maximum end-to-end resolution: 2160p x60 <p>Video capture:</p> <ul style="list-style-type: none"> • Connection interface: PCI-Express x4 • Maximum recording resolution: 3840 x 2160 • Video recording modes: 3840 x 2160 x30 fps, 1920 x 1080 x60 fps, 1280 x 720 x60 fps, 720 x 576 x50 fps, 720 x 480 x60 fps, 1920 x 1080 x30 fps, 3840 x 2160 x60 fps, 720 x 480 x30 fps, 720 x 576 x25 fps • System requirements: CPU: Intel Core i5-6XXX / AMD Ryzen 5 1600 or higher; NVIDIA GeForce GTX 1060 or higher; 8 GB of RAM • Compatibility: Microsoft Windows 10 <p>Additional Information:</p> <ul style="list-style-type: none"> • Features: RGB backlight • Package contents: HDMI cable, documentation 	UNIT	8
Lot 8	Headphones	<p>Key Features:</p> <ul style="list-style-type: none"> • Headphone type: On-ear • Connection type: Wire-connected • Headphone jack: Mini Jack 3.5mm <p>Sound:</p> <ul style="list-style-type: none"> • Frequency range: 20 - 20000 Hz • Sensitivity: 106 dB • Active noise cancellation • Design and appearance • Mount Type: Headband • Volume control • Built-in microphone • Cable length: 2.2 m 	UNIT	4

Lots	Item Name	Specification	Unit measure	Quantity
		<ul style="list-style-type: none"> Features: Adjustable headband, swivel microphone mount, volume control on cable 		
Lot 9	12U Server cabinet	<ul style="list-style-type: none"> Capacity: 19", 12U Wall mount, side doors, front metal, all with locks Material: Cold rolled steel Coating: Powder-polymer with preliminary parkerising of the surface Carrying profile thickness: 1.2 mm Load: 60 kg Degree of protection: IP20 	UNIT	4
Lot 10	PDU - 9 outlets	<ul style="list-style-type: none"> Electrical connection: Connecting cable with plug Cable length: 2m Number of modules in height: 1 Total number of sockets: 9 Rated voltage: 230V Maximum voltage: 250V Frequency: 50 Hz Rated current: 16 A Maximum load power: 2200W Case material: Plastic Wire cross-section: 1.5 mm² Protection: No Number of C2a sockets: 9 Operating temperature: 0 ... + 40 	UNIT	8
Lot 11	Rack-mount computer case	<ul style="list-style-type: none"> Equipment type: Server case 4U Power: Power supply: ATX 12V Port Locations: Front USB connectors on the case: 2 USB with connection to internal MP connectors Buttons: Power, Reset Indicators: Sleep, Power, HDD type of buttons and indicators Case design and finish Material: Steel 0.7 mm thick Case design Height: 4U Case depth: 450 mm Number of expansion card slots: 7 slots for full-size expansion cards Case features Security: Front panel lock 	UNIT	4

Lots	Item Name	Specification	Unit measure	Quantity
Lot 12	Wall mount for TV "43"	<ul style="list-style-type: none"> Type: Wall mount bracket Purpose: LCD TV Maximum diagonal: TV 37-70 " Maximum load: 36.4 kg Tilt and swivel adjustment method Material: steel Distance adjustment: to wall / ceiling: yes Reach from wall / ceiling: 42-452 mm Tilt angle up: 20 ° Tilt angle down: 20 ° Angle of rotation of the counterpart: 180 	UNIT	4
Lot 13	4-port PoE switch	<ul style="list-style-type: none"> Number of POE ports: 4 x 100 Mbit/s + 4 Ethernet ports 100 Mbit/s Network protocol: IEEE802.3at 10BASE-T, IEEE802.3u 100BASE-TX, IEEE802.3ab 1000BASE-T, IEEE802.3Z 1000BASE-X flow control IEEE802.3X 1 Total POE power: 60W Bandwidth of the switch: 1.0 Gb Maximum power per port: 15W Cable: UTP cat.5 UTP cat.6 Cable connection: RJ45 	UNIT	4
Lot 14	HDMI cable 10 m for monitor	<ul style="list-style-type: none"> Type: cable Video purpose: HDMI Connectors: HDMI (M) - HDMI (M) Features: shielded cable Conductor material: copper Dielectric material: PVC 	UNIT	4
Lot 15	HDMI cable 15 m for TV	<ul style="list-style-type: none"> Type: cable Video purpose: HDMI Connectors: HDMI (M) - HDMI (M) Features: shielded cable Conductor material: copper Dielectric material: PVC 	UNIT	4
Lot 16	USB extension cables 4m	<ul style="list-style-type: none"> Connector 1- USB 3.0 Type-A Connector 1 type: Plug Connector: USB 3.0 Type-B Connector 2 type: Socket Length: 4 m Design features: Double shielding Conductor material: copper 	UNIT	8
Lot	HDMI cable 10m	<ul style="list-style-type: none"> Number of cores: 8 	METERS	300

Lots	Item Name	Specification	Unit measure	Quantity
17		<ul style="list-style-type: none"> • Cable laying type: internal • Conductor diameter, mm: 0,45-0,50 • Screen thickness, mm: 0,12 • Conductor material: CCA • Conductor insulation material: HDPE • Thickness of cable armor, mm: 0,80 • Cable armor material: PVC • Overall cable diameter, mm: 4,2-5,2 • Permissible operating mode: from -20 ° C to + 40 ° C 		

Specifications for After-Sale Services for Goods

Description
<ul style="list-style-type: none"> • Minimum one (1) year warranty on Parts and Labour from Lot 1 to Lot 13

**ANNEX C
SUPPLIER'S QUOTATION**

(This Form must be submitted using the Supplier's Official Letterhead/Stationery in the format specified below)

We, the undersigned, hereby accept the IDLO's General Terms and Conditions in full and Payment Policy of payment within 30 days after delivery of service on presentation of complete and correct invoice. We hereby offer to supply the items listed below in conformity with the specification and requirements of IDLO as per **RFQ N_761-KGZ_21**

Company Name	
Company Full Address	
Date	
Signature	
Stamp	
Contact Person	
Telephone number	
Email address	

Table 1: Offer to Supply Goods / Services Compliant with Technical Specifications and Requirements

Lots	Item	Unit measure	Quantity	Compliance with Technical Specifications in Annex B	Unit rate in KGS	Total amount in KGS
Lot 1	HDMI Splitter for 2 ports (2 out, 1 in)	Unit	4	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 2	Uninterruptible Power Supply for Personal Computer (1200VA)	Unit	8	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 3	4-camera network video recorder, 4-channel IP-video recorder	Unit	4	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 4	4 TB hard drive	Unit	4	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 5	4Mpx IP camera with varifocal zoom	Unit	16	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot	8-port gigabit switch	Unit	4	<input type="checkbox"/> Comply		

Lots	Item	Unit measure	Quantity	Compliance with Technical Specifications in Annex B	Unit rate in KGS	Total amount in KGS
6				<input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 7	Video capture card	Unit	8	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 8	Headphones	Unit	4	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 9	12U Server cabinet	Unit	4	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 10	PDU - 9 outlets	Unit	8	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 11	Rack-mount computer case	Unit	4	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 12	Wall mount for TV "43"	Unit	4	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		

Lots	Item	Unit measure	Quantity	Compliance with Technical Specifications in Annex B	Unit rate in KGS	Total amount in KGS
Lot 13	4-port POE switch	Unit	4	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 14	HDMI cable 10 m for monitor	Unit	4	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 15	HDMI cable 15 m for TV	Unit	4	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 16	USB extension cables 4m	Unit	8	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Lot 17	HDMI cable 10m	Unit	300	<input type="checkbox"/> Comply <input type="checkbox"/> Not Comply. Alternative specification offered (please attach)		
Total Cost of Goods						
Freight						
Customs Clearance						

Lots	Item	Unit measure	Quantity	Compliance with Technical Specifications in Annex B	Unit rate in KGS	Total amount in KGS
Taxes/VAT (____%) (if applicable)						
Grand Total						

Table 2: Offer for After-Sale Services and Other Conditions

Other Information	Responses		
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter proposal
Warranty: Minimum one (1) year warranty on both parts and labour from Lot 1 to Lot 13			
Delivery on basis of Incoterms Delivery Duty Paid (DDP) at 205 Abdumomunova Street, Bishkek, Kyrgyzstan			
Goods will be delivered within 90 days after receipt of PO or contract from IDLO			

ANNEX D
IDLO GENERAL TERMS AND CONDITIONS FOR THE PROCUREMENT OF GOODS OR SERVICES
AND
IDLO SUPPLIER CODE OF CONDUCT

Any quote submission will imply the unconditional acceptance of IDLO General Terms and Conditions for Goods and Services and adherence to the Supplier Code of Conduct.

The documents are available on IDLO Procurement Website:

https://www.idlo.int/sites/default/files/documents/general_terms_and_conditions_for_goods_august_2020.pdf

https://www.idlo.int/sites/default/files/documents/general_terms_and_conditions_for_services_august_2020.pdf

<https://www.idlo.int/sites/default/files/documents/idlo-supplier-code-of-conduct.pdf>